

Catalog

2015/2016



THINK! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications

ratiolab[®]
disposables for sciences




Dear valued business partners,

For over 40 years, the name ratiolab® stands for developing, manufacturing and sale of high quality, innovative disposables for laboratories in the fields of medicine, research and industry.

Every day we face the challenge of growing consistently with our customers, who research and work in highly innovative business fields, and offering them new products for their activities. This is also reflected in the current edition of our catalogue 2015/2016, which you now have in your hands.

Our values are the standard we follow in business dealings with our customers, suppliers and co-workers.



We hope you enjoy looking through the new ratiolab® catalogue 2015/2016. The ratiolab® team will be on hand with help and advice for any ideas and questions you might have.

Sincerely yours

Johannes Frauendörfer
Managing Director

Content



THINK! Development and production of customized products

We can make your ideas become reality!	10
Joint development	11
Intelligent tool design	12
Perfection in production	13
Flexibility in packaging	13
Reliable logistics	13



Liquid handling products

ratiolab® ratiopetta® Pipet	16
ratiolab® Pipetting Reservoirs	18
ratiolab® Pipet Tips	19
ratiolab® Pipet Tips System and Refill System ratiolab® Multitrack, MultiTray®, Multibox® plus and Multibox® ultra	20
ratiolab® Pipet Tips	22
ratiolab® aroject® ultra Pipet Tips	25
Serological Pipets	26
Pipetting Aids	27
Pasteur-Plast Pipets	28
ratiolab® Dispenser Tips and Dispenser	30
Brand Dispenser Tips and Dispenser	31
ratiolab® Sterilizing Pipet Box	32



Labware for general lab applications

ratiolab® Cuvets	36
Analysis Beakers	39
Scintillation Vessels	39
Test Tubes	40
Stoppers	40
Cell Counter Vials	41
Centrifuge Tubes	41
Microcentrifuge Tubes	42
Microcentrifuge Tubes	43
Micro Centrifuge	43
ratiolab® Multistand Rack	44
Rack for Microcentrifuge Tubes	44
Wide Neck Bottle	45
Multipurpose Containers	45
Multi Purpose Beakers	46
ratiolab® Multi Purpose Beaker System	47
ratiolab® Multi Purpose Bottles	47
ratiolab® Cleanibag-System	48
ratiolab® Autoclavable Bags	48
ratiolab® Waste Disposal Bag	49
Petri Dishes	50
Inoculating Loops	50
Incubator	50
Ear Tips	51
Ear Funnels	51



Life science products for
microbiology and biotechnology

Micro Test Plates	54
Deep-Well Blocks	56
ratiolab® Micro-Tubes System	58
PCR Tubes	60
PCR Plates	61
PCR Accessories	62
Micro Centrifuge	62
Cover Films for Micro Test and PCR Plates	63



Cryo products for
deep-freeze applications

ratiolab® Cryo Boxes, Cardboard, Format 133 x 133 mm	66
ratiolab® Cryo Boxes, Cardboard, Format 133 x 133 mm; 130 x 62 mm, ratiolab® Rainbow Cryo Labels	67
ratiolab® Cryo Boxes, Cardboard, Format 136 x 136 mm	68
ratiolab® Cryo Boxes, Cardboard, Format 136 x 136 mm; 134 x 67 mm; 75 x 75 mm ratiolab® Rainbow Cryo Labels	69
ratiolab® Cryo Boxes, Cardboard, Format 148 x 148 x 130 mm	70
ratiolab® Cryo Boxes with Slip Lid, PP, Format 133 x 133 mm	71
ratiolab® Cryo Boxes with Grids, PP, Format 133 x 133 mm	72
ratiolab® Cryo Boxes and Grid Inserts, PP, Format 133 x 133 mm	73
ratiolab® Cryo Boxes with Grids, PC, Format 132 x 132 mm	74
ratiolab® Cryo Boxes with 2D Barcode and Grids, PC, Format 132 x 132 mm	75
Cryo Tubes with 2D Barcode	76
Cryo Tubes	77
Cryo Tubes Accessories	78
Cryo Racks for Freezer Chests	79
Cryo Racks for Freezer Cabinets	80
Cryo Racks Special Production	83

**Technical
information**

Chemical resistance of plastics	85
Order Number Index	90
Notes	93

Our Company



THINK! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology




Cryo products for deep-freeze applications

What ratiolab® offers and solutions

For over 40 years now we have – in close cooperation with our customers– been developing professional solutions for laboratory routine and for research, science and industry.

We supply everything that facilitates daily work routines, increases accuracy and improves process safety – in fact, those items that help to make the laboratory all that more efficient!

Please contact us, if you have a product idea or a product wish to make your work easier. Our staff will take care of a solution.



On a daily basis, thousands of laboratory items are produced from high quality plastics using tools of the highest precision in state-of-the-art automatic injection-molding machines. If so desired, we can develop packaging forms suitable for automatic processing to your own specifications; we can also package your wares according to your hygiene standards and can customize these to international requirements, even in small series.

Increasingly, new demands are being made of disposable products. Here, we are available to research and industry for the development of individual, customized products. We can accompany the user right from the first mutual


idea through CAD, construction, the production of prototypes to the efficient production and packaging of the finished product.

Our Quality Management System is of course certificated according to DIN EN ISO 9001, ISO 13485; for only uniform high quality products guarantee the accuracy and reproducibility you require in your labs.

The plant, administration and warehouse are located in Dreieich near Frankfurt am Main, Germany. Sales in Germany and worldwide in over 30 countries is via qualified laboratory suppliers. ratiolab® is also present at all important national and international trade fairs.



Think!



Think! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications


Think!



We can make your ideas become reality!

Laboratory disposables made of plastic for research, science and industry are much in demand. Frequently, however, tasks have to be performed where standard products are just not good enough.


Here, individual solutions are required – whether for special pipet tips, non-standard cuvettes, customized magazines or even items that do not exist ...




1. Joint development.

Your ideas coupled with our know-how – in this constellation, a solution is not far away. Together, we can develop the product* you require for the specific task in hand – from the initial specifications to the first sketches to ultimate CAD construction. And from the first prototype to series production using state-of-the-art processing, where even three-dimensional products can be created directly from a data base.

* such as these sample extraction tubes and reagent vessels for an innovative system for testing stored blood for viruses.



Think!



2. Intelligent tool design.

Intelligently designed tools play a decisive role in the quality and profitability of products produced by them. We have over 30 years of experience in this field; we thus know precisely how tools have to be designed for the production of particularly thin-walled products, how quality can be improved by the integration of contour cooling and how stroke frequency can be increased in injection molding. And, in urgent situations, tooling can be created at short notice.





3. Perfection in production.

We have state-of-the-art injection-molding machines. In addition to our own products, we can produce yours – in series of thousands or hundreds of thousands, in uniform high quality – using plastic materials of the highest quality.

4. Flexibility in packaging.

We can design the desired packaging for your products, whether environmentally friendly manual packs, practical refill systems or racks suitable for automated processes. We can package the products according to your hygiene requirements and individualize them, even in small quantities.

5. Reliable logistics.

We have a large, well-organized warehouse facility. On a daily basis, we pick and dispatch numerous orders throughout the world. You can rely on us to do the same with your products. We can hold them on call for delivery to you or your customers.



Liquid handling



Think! Development and production of customized products



Liquid handling products




Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications



ratiopetta®

Pipetting is one of the most frequently used applications in laboratories. This is not only where precision and reliability are important, users also need products that are ergonomic, light and convenient. The new ratiopetta® from ratiolab® meets these demands while offering outstanding value for money.

Product properties

- obtainable in volumes from 0.1 µl – 5000 µl
- universal cone for standard pipet tips
- easy volume setting by smooth-running setting ring
- fatigue-free work possible for the analyst over longer pipetting series
- touch-sensitive pressure points for pipetting and discharging
- modern, innovative materials
- individual checking according to ISO8655/DIN12650
- delivery includes a test certificate
- individual serial numbers
- suitable for right- and left-handers
- easy to calibrate
- corrosion-resistant piston and tip ejector
- 1 year guarantee

Delivery includes:

- pipet
- certificate of calibration
- operating instructions
- bench rack
- calibration key
- lubricant

Matching pipet tips can be found on pages 20-25.





Single-channel Precision Pipet ratiopetta®

CE IVD

Volume Range μl	Accuracy* $< \pm \%$	Precision* $< \%$	Quantity per Pack	Order No.
0.1 – 2.5	3.00	3,00	1	47 80 025
0.5 – 10	1.50	1.50	1	47 80 010
2.0 – 20	1.20	1,00	1	47 80 020
10 – 100	1.00	0.40	1	47 80 100
20 – 200	0.80	0.40	1	47 80 200
100 – 1000	0,70	0.25	1	47 81 000
1000 – 5000	0.60	0.30	1	47 85 000



8-channel Precision Pipet ratiopetta®

CE IVD

Volume Range μl	Accuracy* $< \pm \%$	Precision* $< \%$	Quantity per Pack	Order No.
0.5 – 10	2.50	2.50	1	47 80 018
5.0 – 50	1.50	1.00	1	47 80 058
50 – 300	1.00	0.50	1	47 80 308



12-channel Precision Pipet ratiopetta®

CE IVD

Volume Range μl	Accuracy* $< \pm \%$	Precision* $< \%$	Quantity per Pack	Order No.
0.5 – 10	2.50	2.50	1	47 80 012
5.0 – 50	1.50	1.00	1	47 90 052
50 – 300	1.00	0.50	1	47 90 302

Matching pipet tips can be found on pages 20-25.



Pipettor stands ratiopetta®

- for the clearly laid out storing of up to 5 pipettors of different brands with finger rest
- compatible with most multi-channel-pipettors with finger rest

Product	Quantity per Pack	Order No.
pipettor stand for ratiopetta®	1	94 20 024

* Three measurements were carried out for all the pipets: minimum, maximum and mean volumes. The data shown are based on the mean volumes. On request, we can provide you with all of the results that were measured for your pipet. Please let us know the order number and the serial number of your Ratiopetta.

ratiolab® Pipetting Reservoirs

Pipetting reservoirs

The ratiolab® pipet reservoirs made of white polystyrene (PS) are ideal for the repetitive filling of single and multi-channel pipets. Because of the innovative design, these disposable items are both space-saving and stackable. Their broad edges give them a firm and safe stand. They are thus an uncomplicated and clean alternative to reusable reservoirs. The ratiolab® pipet reservoirs are produced in Germany and the material is recyclable.

This new product line is available in four application-oriented versions:

Version -Figure- 1

- single reservoir with max. volume = 50 ml
- angled bottom for practically complete withdrawal of sample and hence economical in use
- groove graduations at 10, 15, 20 and 25 ml
- labeling area

Version -Figure- 2

- extra large single reservoir with max. volume 100 ml
- graduations at 50 and 100 ml
- conical bottom for economy due to minimum loss of medium


Version -Figure- 3

- specially designed for use with 8-channel pipets
- 8 separate channels of 6 ml volume (= 48 ml total)

Version -Figure- 4

- polypropylene (PP)
- max. volume = 50 ml
- autoclavable

Versions 1–3 are available gamma-sterilized or non-sterile.



Pipetting reservoirs made of PS

Volume	Fig. No.	Sterilized	Quantity per Pack	Order No.
50 ml	1	–	bags 20 x 5	94 20 018
50 ml	1	■	bags 20 x 5	94 25 518
100 ml	2	–	bags 20 x 5	94 20 017
100 ml	2	■	bags 20 x 5	94 25 517

Pipetting reservoirs made of PS for 8-channel precision pipetting

Volume	Fig. No.	Sterilized	Quantity per Pack	Order No.
6 ml	3	–	bag 1 x 100	94 20 016
6 ml	3	■	bag 1 x 100	94 25 516



Pipetting reservoirs made of PP

Volume	Fig. No.	Sterilized	Quantity per Pack	Order No.
50 ml	4	–	10	94 20 019

ratiolab® Pipet Tips

ratiolab® pipet tips


ratiolab® pipet tips are ideal for all commercially available pipets. Their uniform high quality and precision make today's pipets fully effective. Together with specially developed Multitrack, Refill System and the ratiolab® Multibox with the associated pipet tips in Multitray, they make pipetting much simpler and safe, also in the most sensitive applications. Our pipet tips are perfectly fit for manual or electronic, single or multichannel pipets.



Precision in each and every detail – a guarantee for highest quality.

- made of high quality polypropylene
- tight fit due to the precisely fitting cone
- optimal handling due to the stable shape
- autoclavable
- guaranteed dust-free due to special ionization treatment
- available pre-sterilized or non-sterile
- excellent transparency due to high quality surfaces
- minimal residual wetting due to controlled quality of raw materials
- excellent volume accuracy due to precise tip orifice
- practice-oriented tip volumes
- aroject® tips with special filters made of hydrophobic PE-HD as aerosol barrier and for protection against contamination
- suitable for all commonly used pipet types

This is why ratiolab® pipet tips always provide perfect results.



Precise construction in all details is the basis for the best products, that makes your job easier. This is where a customer becomes a partner.

ratiolab® Pipet Tips System and Refill System

ratiolab® Pipet Tips System

ratiolab® Multitrack

The new ratiolab® Multitracks provide even more time saving, perfect hygienic conditions and simple operation.

- the pipet tips are placed on a robust matrix, in a 8 x 12 format for all tips up to 300 µl, and in a 6 x 10 format for tip size 100 – 1000 µl
- the tips can be picked-up by 1, 8 or 12-channel pipettors as well as by pipetting robots contamination-free and without any hand contact
- the Multitracks are durable and steady, and the hinged cover can be opened up to 180°
- after work, the Multibox® can be closed firmly by means of a click closure to protect the tips from dust
- the Multitracks are completely autoclavable at 121 °C, 20 min
- Multitracks are available in sterile and non-sterile packs

Order information on the pages 21-25.



ratiolab® Pipet Tips Refill System

ratiolab® Multibox®plus and -ultra/MultiTray® System

The new ratiolab® Multibox®plus and -ultra/MultiTray® system simplifies the handling of pipet tips and provides more safety.


MultiTray®, the dust-proof refill packs made of plastics for ratiolab® pipet tips, hold the tips in plastic matrices. Up to five plastic matrices filled with tips are stacked on top of each other in the space saving MultiTray®. For tips up to 300 µl the matrices contain 96 pipet tips in the 8 x 12 standard format. All 100 – 1000 µl tips are in a 6 x 10 format on the matrices. The matrices can simply be removed from the Multibox® with the two finger tabs.

The MultiTray® matrices fit securely into the Multibox®plus and -ultra with a soft click. The framework of the Multibox®plus and -ultra provides full support for the MultiTray® matrices – resulting in convenient and safe tip pick-up, even with 8- and 12-channel pipetors. For tip removal the dustproof, hinged cover of the Multibox®plus and -ultra may be opened completely or partially by using the additional sliding mechanism. For cleaning the cover can be removed.

The ratiolab® Multibox®plus and -ultra/MultiTray® system is space- and cost-saving. It clearly reduces the amount of waste, and it provides more convenient and safe pipetting and sterilization.



ratiolab® Pipet Tips Refill System



ratiolab® Multibox® plus and -ultra for MultiTray® pipet tips

Reusable pipet tip boxes for the ratiolab® MultiTray® refill systems.

- Multibox® plus, PC, with dust-proof hinged and sliding lid, completely removable
- Multibox® ultra, PP, with hinged lid
- can be autoclaved several times at 121 °C, 20 min
- quantity per pack: 1 pc.
- deliver: Multibox®plus or -ultra without MultiTray® and without pipet tips









Product	Fig. No.	Volume	Order No.
ratiolab® Multibox® plus, PC, empty, for all MultiTray® pipet tips	1	up to 1000 µl	80 10 161
ratiolab® Multibox® ultra PP, empty, for all MultiTray® pipet tips	2	up to 300 µl	80 30 160
ratiolab® Multibox® ultra PP, empty, for all MultiTray® pipet tips	3	up to 1000 µl	80 30 170



MultiTray® for Multibox®plus and Multibox®ultra








- dust-proof refill pack with several plastic matrices filled with tips
- the most functional, environmentally-friendly, space and cost-saving packaging

Order information on the pages 21-25.

Typ	Volume Range µl	Length mm	Packaging	Fig. No.	Quantity per Pack	Order No.
Crystal pipet tip "E", for all commonly used pipets, ratiopetta® 	0,5-20	45,80	bag 1 x 1000	1	1000	25 00 170
			Multiracks 10 x 96	2	960	25 13 172
			Multiracks, sterilized 10 x 96	2	960	25 53 172
			MultiTray® 10 x 96	3	960	25 30 172
Crystal pipet tip "G", for Gilson® Pipetman®/Neo 	0,1-10	38,30	bag 1 x 1000	1	1000	25 00 190
			Multiracks 10 x 96	2	960	25 13 192
			Multiracks, sterilized 10 x 96	2	960	25 53 192
			MultiTray® 10 x 96	3	960	25 30 192
Crystal pipet tip xl, for all commonly used pipets, ratiopetta® 	0,1-10	45,50	bag 1 x 1000	1	1000	21 00 500
			Multiracks 10 x 96	2	960	25 13 502
			Multiracks, sterilized 10 x 96	2	960	25 53 502
			MultiTray® 10 x 96	3	960	25 30 173
Yellow pipet tip "E", for all commonly used pipets, ratiopetta® 	1-200	49,50	bag 1 x 1000	1	1000	21 00 600
			Multiracks 10 x 96	2	960	21 13 602
			Multiracks, sterilized 10 x 96	2	960	21 53 602
			MultiTray® 10 x 96	3	960	21 30 602
Colorless pipet tip "E", for all commonly used pipets, ratiopetta® 	1-200	49,50	bag 1 x 1000	1	1000	24 00 600
			Multiracks 10 x 96	2	960	24 13 602
			Multiracks, sterilized 10 x 96	2	960	24 53 602
			MultiTray® 10 x 96	3	960	24 30 602
Yellow pipet tip "universal", for all commonly used pipets, ratiopetta® 	1-250	51,20	bag 1 x 1000	1	1000	25 00 160
			Multiracks 10 x 96	2	960	25 13 162
			Multiracks, sterilized 10 x 96	2	960	25 53 162
			MultiTray® 10 x 96	3	960	25 30 162
Colorless pipet tip "universal", for all commonly used pipets, ratiopetta® 	1-250	50,00	bag 1 x 1000	1	1000	25 00 163
			Multiracks 10 x 96	2	960	25 13 163
			Multiracks, sterilized 10 x 96	2	960	25 53 163
			MultiTray® 10 x 96	3	960	25 30 163
Pipet tip "Oxford", for Oxford® pipets 	1-200	65,30	bag 1 x 1000	1	1000	25 00 110

ratiolab® Pipet Tips

CE IVD

Typ	Volume Range µl	Length mm	Packaging	Fig. No.	Quantity per Pack	Order No.
Pipet tip "MLA", for MLA® pipets	1-200	47,50	bag 1 x 1000	1	1000	25 00 140
						
Pipet tip "wide bore", for all commonly used pipets, ratiopetta®	1-200	50,50	bag 1 x 1000	1	1000	21 00 553
						
Blue pipet tip "E", for all commonly used pipets, ratiopetta®	100-1000	69,00	bag 1 x 1000	1	1000	21 00 610
			Multiracks 10 x 60	2	600	21 13 612
			Multiracks, sterilized 10 x 60	2	600	21 53 612
			MultiTray® 16 x 60	3	960	21 30 612
						
Colorless pipet tip "E", for all commonly used pipets, ratiopetta®	100-1000	69,00	bag 1 x 1000	1	1000	24 00 610
			Multiracks 10 x 60	2	600	24 13 612
			Multiracks, sterilized 10 x 60	2	600	24 53 612
			MultiTray® 16 x 60	3	960	24 30 612
						
Pipet tip "MLA", for MLA® pipets	100-1000	86,30	bag 1 x 1000	1	1000	25 00 150
						
Pipet tip "wide bore", for all commonly used pipets, ratiopetta®	100-1000	85,40	bag 1 x 1000	1	1000	21 00 555
						
Pipet Tip Dr. Lange, for Pipets Dr. Lange®	100-1000	86,30	bag 1 x 1000	1	1000	25 00 130
						

1










2



3



Typ	Volume Range µl	Length mm	Packaging	Fig. No.	Quantity per Pack	Order No.
Pipet Tip "Oxford", for Pipets Oxford®	250-1000	76,30	bag 1 x 1000	1	1000	25 00 120
						
Colorless pipet tip "ES", for Pipets Eppendorf® Reference®, Socorex® Calibra, ratiopetta®	500-2500	115,00	bag 1 x 250	1	250	25 00 180
						
Pipet Tip "Finntip", for Pipets Thermo Scientific Finntip® F1 and F2, Pipets Dr. Lange®	1000-5000	147,60	collapsible box 1 x 75	4	75	24 00 620
			bag 1 x 1000	1	1000	24 00 622
			bag 1 x 3000	1	3000	24 00 623
			bag 1 x 500	1	500	24 00 624
			rack 1 x 50	5	50	24 10 620
						
Pipet Tip "Makro", for Pipets Gilson® Pipetman®/Neo	1000-5000	119,70	bag 1 x 250	1	250	24 00 630
			rack 1 x 50	6	50	24 10 630
						
Pipet Tip "Makro II", for Pipets Biohit® proline	1000-5000	125,50	bag 1 x 300	1	300	24 00 650
			rack 1 x 50	5	50	24 10 650
						
Pipet Tip "Finntip", for Pipets Thermo Scientific Finntip® F1 and F2	2000-10000	150,20	bag 1 x 100	1	100	24 00 640
			rack 1 x 25	5	25	24 10 640
						
Pipet Tip, for Pipets Biohit® mLINE® Pipet and Gilson® Pipetman®	1000-10000	153,60	bag 1 x 100	1	100	24 00 642
						



ratiolab® aeroject® ultra Pipet Tips

free of DNA, DNase,
pyrogens and ATP









ratiolab® aeroject® ultra tips – Pipet Tips with Aerosol Barrier


CE IVD

Pipet tips with special filters, to effectively prevent the pipettor shaft from contamination with aerosols and liquids to be sucked into the pipettor.

- sterilized
- free of RNase-, DNase-, DNA-, pyrogens, low retention
- free of human DNA and PCR inhibitors
- pipet tips and aerosol filters made of ultra-hydrophobic PE-HD
- minimized retention due to special surface treatment
- perfect and tight fit on all major pipettor brands
- aeroject® ultra 17 70 010 and 17 71 000xl with extended length for operation with narrow vessels and reduced risk of cross-contamination
- packed in plastic racks with hinged lids

Typ	Volume Range μ l	Length mm	Packaging	Quantity per Pack	Order No.
Pipet Tip aeroject® ultra tips xl, for all commonly used pipets, ratiopetta®	0,1-10	45,20	Racks 10 x 96	960	17 70 010
					
Pipet Tip aeroject® ultra tips, for all commonly used pipets, ratiopetta®	0,1-20	50,80	Racks 10 x 96	960	17 70 020
					
Pipet Tip aeroject® ultra tips, for all commonly used pipets, ratiopetta®	1-100	50,80	Racks 10 x 96	960	17 70 100
					
Pipet Tip aeroject® ultra tips, for all commonly used pipets, ratiopetta®	1-200	50,80	Racks 10 x 96	960	17 70 200
					
Pipet Tip aeroject® ultra tips, for all commonly used pipets, ratiopetta®	100-1.000	70,10	Racks 10 x 60	600	17 71 000
					
Pipet Tip aeroject® ultra tips, for all commonly used pipets, ratiopetta®	100-1.000	86,00	Racks 10 x 96	960	New 17 71 000xl
					

Serological Pipets



Serological Pipets

Glass-clear polystyrene (PS).

- free from pyrogen, sterile, individually packed
- packed plastic/paper
- weldless and from one mold – hence more accurate and stable and with minimal residual wetting
- permanent black-embossed graduations
- with color-coded cotton-wool plug for convenient identification, standard color code
- negative graduation for additional capacity
- 5, 10 and 25 ml pipets with scales for dispensed and the residual volumes

Positive Volume ml	Fig. No.	Negative Volume ml	Graduation ml	Length mm	Quantity per Pack	Order No.
1	1	0.3	0.01	271.50	500	31 01 011
1.1	–	–	0.5 – 1 – 1.1	273.50	500	31 01 012
2	2	0.4	0.02	273.50	500	31 02 011
2.2	–	–	0.5 – 1 – 2 – 2.1 – 2.2	273.50	500	31 02 012
5	3	3	0.1	295.00	250	31 05 011
5 short	4	3	0.1	221.00	200	31 05 013
5 wide tip	5	3	0.1	295.00	250	31 05 014
5 open end	6	3	0.1	295.00	250	31 05 114
10	7	3	0.1	295.00	200	31 10 011
10 short	8	3	0.1	223.00	100	31 10 013
10 wide tip	9	3	0.1	295.00	200	31 10 014
10 open end	10	3	0.1	295.00	200	31 10 114
25	11	2.6	0.2	345.00	100	31 25 011
50	12	5	0.5	323.00	100	31 50 011

Pipetting Aids

ratiolab® Accupetta Electronic Pipetting Aid

CE IVD

- can fill 25 ml pipet in less than 4 seconds
- safety valve and hydrophobic filters provide double protection against fluid penetration
- two different speed modes – high & low along with gravity drain
- the pump speed can also be fine-tuned by varying finger pressure on operating knobs for better control of speed
- cadmium-free environment-friendly NiMH batteries
- intelligent charger prevents over-charging/heating of batteries
- low battery indicator, power 2 x 1.2 V/1000 mAh
- battery service life: 8 hours continuous use
- battery charging time: 2 – 3 hours
- volumetric range: plastic or glass pipets from 0.1 ml to 100 ml

Order No. 32 00 300 Accupetta contains:

- 1x Accupetta
- 2x Rechargeable battery
- 1x Adapter for battery charger
- 2x Spare filter 0,45 µm
- 1x Wall mount for Accupetta

Product	Quantity per Pack	Order No.
ratiolab® Accupetta	1	32 00 300
Accessories:		
Spare silicone pipet adapter	1	32 00 301
Spare filter hydrophobic, non-sterile, 0.2 µm	1	32 00 302
Spare filter hydrophobic, non-sterile, 0.45 µm	1	32 00 303
Battery for Accupetta, set of 2	1	32 00 306
Battery charger for Accupetta	1	32 00 309
Adapter for battery charger	1	32 00 311
Wall mount for Accupetta	1	32 00 312



Pasteur-Plast Pipets

Pasteur-plast pipets

Pasteur-plast pipets render liquid handling simple and safe. Cross-contamination and carry-over simply cannot occur so that tedious clean-ups are unnecessary. In addition, there is no danger of glass breakage with the resulting danger of infectious material escaping. The pasteur-plast pipets are made of transparent polyethylene. They are inert to biological fluids and most acids. The low affinity of the surface reduces the loss of cells and valuable proteins through binding.

- soft, elastic bulb
- unbreakable – thus reduced risk of glass injury
- burr-free orifice for neat, clean and precise dispensing
- only external graduated pasteur-plast pipets with clearly visible embossed graduations
- sterile pasteur-plast pipets are gas-sterilized and individually packaged
- BSE-free
- can be used for food
- made of PE-HD




NEW! Especially for urine analysis


Volume ml	Fig. No.	Graduation	Length mm	Max. Ø mm	Drop Volume µl	Drops per ml	Sterilized	Quantity per Pack	Order No.
0.1	1	–	84	2,70	–	–	–	1000	26 00 260
0.2	2	–	130	4,15	30	33	–	500	26 00 145
1.0 capillary	3	–	104	4,73	20	50	–	400	26 00 155
1.0	4	■	150	4,85	33	30	–	500	26 00 171
1.0	4	■	150	4,85	33	30	■	500 x 1	26 55 171
1.0	4	■	150	4,85	33	30	■	50 x 10	26 56 171
1.0	5	■	138	5,20	40	25	–	500	26 00 119
1.0 capillary	6	■	144	4,90	14	70	–	500	26 00 181
1.0 capillary	6	■	144	4,90	14	70	■	500 x 1	26 55 181
1.2	7	–	63	2,74	40	25	–	500	26 00 160
1.3	8	–	140	4,25	40	25	–	500	26 00 220

New

Pasteur-Plast Pipets



Volume ml	Fig. No.	Graduation	Length mm	Max. Ø mm	Drop Volume µl	Drop per ml	Sterilized	Quantity per Pack	Order No.
1.5	9	–	230	4,87	45	22	–	400	26 00 120
1.5	9	–	230	4,87	45	22	■	250 x 1	26 55 120
2.0	10	■	153	7,18	45	22	–	500	26 00 135
2.0	10	■	153	7,18	45	25	■	500 x 1	26 55 135
2.0	10	■	153	7,18	45	25	■	50 x 10	26 56 135
2.5	11	■	150	7,58	30	33	–	500	26 00 131
3.0 Makro	12	■	155	8,15	40	25	–	500	26 00 111
3.0 Makro	12	■	155	8,15	40	25	■	500 x 1	26 55 111
3.0 Makro	12	■	155	8,15	40	25	■	50 x 10	26 56 111
3.0 Mikro	13	–	155	3,23	33	30	–	500	26 00 151
3.0 Mikro	13	–	155	3,23	33	30	■	500 x 1	26 55 151
4.0	14	–	150	7,90	40	25	–	500	26 00 216
6.0 Makro	15	–	149	6,40	50	22	–	400	26 00 206
6.0 Makro	15	–	149	6,40	50	22	■	400 x 1	26 55 206
10.0	16	–	170	4,25	56	18	–	200	26 00 190
10.0	17	–	300	8,20	45	22	–	100	26 00 195



ratiolab® Dispenser Tips

CE IVD

For serial pipettings

Dispenser Tips fit onto ratiolab® dispetta and Eppendorf Multipipette® 4780, Ritter Dispenser and Distriman (Gilson).

8 Adapters for 25 ml and 50 ml Dispenser Tips must be ordered separately.

Volume ml	Fig. No.	Description	Quantity per Pack	Order No.
0.5	1	non-sterile	100	29 00 101
1.25	2	non-sterile	100	29 00 102
2.5	3	non-sterile	100	29 00 103
5.0	4	non-sterile	100	29 00 104
12.5	5	non-sterile	100	29 00 105
25	6	non-sterile	50	29 00 109
50	7	non-sterile	25	29 00 106
Adapter	8	non-sterile	10	29 00 107

0.5	1	sterile, individually packed	100	29 10 101
1.25	2	sterile, individually packed	100	29 10 102
2.5	3	sterile, individually packed	100	29 10 103
5.0	4	sterile, individually packed	100	29 10 104
12.5	5	sterile, individually packed	100	29 10 105
25	6	sterile, individually packed	25	29 10 109
50	7	sterile, individually packed	25	29 10 106
Adapter	8	sterile, individually packed	5	29 10 107

ratiolab® dispetta Pipettor for Serial Dispensing


CE IVD

Convenient and robust instrument for serial dispensing with Dispenser Tips. Five volume settings combined with seven Dispenser Tips sizes result in 35 different volumes from 10 µl to 5 ml. The Dispenser Tip is filled similar to a syringe. After preselecting the dispensing volume the pipet button has to be pressed for each dispensing step.

- ergonomic design and light weight for convenient handling
- smooth and fatigue-free operation even with long series
- precise and convenient volume setting
- clearly visible volume adjustment, optimized readability
- table with volume scale fixed directly onto the instrument
- precise gear mechanism for accurate and reproducible pipettings
- safe, rapid and easy exchange of Dispenser Tips
- maintenance-free
- long life due to robust design
- manual dispenser without electronic parts

Product	Quantity per Pack	Order No.
ratiolab® dispetta	1	29 80 200

Dispenser Tips and Dispenser



PD-Dispenser Tips with Type-Code

CE IVD

For serial pipettings

The volume of the Dispenser Tips is automatically identified by the pipetting device (HandyStep® electronic only). PD-Dispenser Tips fit onto ratiolab® dispetta, Brand HandyStep® and HandyStep® electronic and Eppendorf Multipipette® 4780.

Adapters for 25 ml and 50 ml Dispenser Tips must be ordered separately.

Volume ml	Description	Quantity per Pack	Order No.
0.5	non-sterile	100	29 00 201
1.25	non-sterile	100	29 00 202
2.5	non-sterile	100	29 00 203
5.0	non-sterile	100	29 00 204
12.5	non-sterile	100	29 00 205
25	non-sterile	50	29 00 209
50	non-sterile	25	29 00 206
Adapter	non-sterile	10	29 00 207
0.5	sterile, individually packed	100	29 10 201
1.25	sterile, individually packed	100	29 10 202
2.5	sterile, individually packed	100	29 10 203
5.0	sterile, individually packed	100	29 10 204
12.5	sterile, individually packed	100	29 10 205
25	sterile, individually packed	25	29 10 209
50	sterile, individually packed	25	29 10 206
Adapter	sterile, individually packed	5	29 10 207

HandyStep® electronic Pipettor

CE IVD


Hand-held dispenser with micro processor-controlled precision.

For serial dispensing, most convenient to operate.


- automatic tip size registration when using PD-Tips with type code
 - fits almost any dispenser tips
 - variable volume adjustment from 1 µl to 50 ml
 - digital LCD display for volume, number of steps, operation speed, mode and battery charging level
 - three operation modes: dispensing, auto dispensing, pipetting
 - in the auto dispensing mode the processor calculates the mean operation frequency from three manually operated dispensings and continues the operation automatically
 - three operation speeds can be chosen for liquids with different viscosity and density
 - easy programming by an intuitive guided menu
 - no out-of-function intervals due to exchangeable batteries, which can be charged by the instrument or separately
 - quality-controlled and individually certified, serial number included
- Scope of delivery: HandyStep® with NiMH battery, charger with dispenser stand and power supply 230 V/50 Hz.

Product	Quantity per Pack	Order No.
HandyStep® Handdispenser complete	1	47 50 002
Accessories:		
power supply 230 V/50 Hz	1	47 50 003
charger stand without power supply	1	47 50 004
NiMH-battery	1	47 50 005

ratiolab® Sterilizing Pipet Box



ratiolab® Sterilizing Pipet Box



ratiolab® Sterilizing Pipet Box

Aluminium.

Pipet boxes with optimized easy handling in every day's work. The cylindrical pipet boxes are the best option for autoclaving various glass items with a length from 150 to 480 mm like mixing rods, pasteur-, volumetric and graduated pipets.

- autoclaving: the new construction guarantees the entrance of steam into the container and optimizes the process of autoclaving
- opening and closing: soft sliding performance of top section onto the base section makes working easy
- base- and top section are filled with a silicon layer at the bottom as shock absorber to protect the glass items from splintering
- the sterilizing pipet boxes are available in 4 various lengths

Product	Lenght mm	Quantity per Pack	Order No.
Pipet box aluminium	150-200	1	New 31 70 200
Pipet box aluminium	235-305	1	New 31 70 305
Pipet box aluminium	315-385	1	New 31 70 385
Pipet box aluminium	315-485	1	New 31 70 485

Labware



Think! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications

ratiolab® Cuvets

Disposable cuvettes have long replaced cuvettes once normally made of glass. New plastics coupled with modern methods of production allow photometric measurement well into the UV range.

Ultra-precision molds with several cavities – one per cuvette – are used for producing ratiolab® Q-VETTES and ratiolab® CUVETTES under controlled room conditions. Thus, in any one injection molding run several cuvettes are produced


simultaneously. In order to prevent deviations in extinction coefficient values from occurring in any one run due to increased stray light, the cuvettes are automatically sorted according to their numbered cavities of origin. Each package shows the corresponding local production number of the cuvettes position in the net. So all cuvettes inside one styrofoam box are technical wise identical. Any measurement done with those identical cuvettes insures a high accuracy.



ratiolab® Q-VETTES

The new generation of cuvettes with clearly improved photometric properties. The optimized form and the small wall thickness of the cuvettes provides increased heat transfer resulting in more constant sample temperatures during photometric measurements.

- glass-clear polystyrene (PS)
- applicable wavelength range 340 to 900 nm
- very low variation of extinction values
- excellent optical transmission range
- cavity-sorted production
- path length 10 mm
- outer dimensions 12.5 x 12.5 x 45 mm
- supplied in practical styrofoam racks: 100 net identical cuvettes in a styrofoam box with closable lid



Product	Description	Volume ml	Packaging	Quantity per Pack	Order No.
ratiolab® Q-VETTES semi-micro	PS	1.6	styrofoam racks 10 x 100	1000	27 12 120
ratiolab® Q-VETTES macro	PS	4.0	styrofoam racks 10 x 100	1000	27 11 110




ratiolab® CUVETTES

For photometric measurements even in the UV range 220 nm

Due to the special plastic material and the excellent manufacturing process the cuvettes can also be used in photometric ranges reserved for UV glass cuvettes in the past.

- applicable wavelength range 220 to 900 nm
- very low variation of extinction values
- excellent optical transmission range
- cavity-sorted production
- path length 10 mm
- outer dimensions 12.5 x 12.5 x 45 mm
- supplied in practical styrofoam racks: 100 net identical cuvettes in a styrofoam box with a resealable cover



Product	Description	Volume ml	Packaging	Quantity per Pack	Order No.
ratiolab® CUVETTES semi-micro	UV	1.6	styrofoam rack 1 x 100	100	27 22 120
ratiolab® CUVETTES macro	UV	4.0	styrofoam rack 1 x 100	100	27 22 110



ratiolab® Cuvets of PMMA


- cuvettes of polymethylmethacrylate (PMMA)
- applicable wavelength range 300 to 900 nm
- very low variation of extinction values
- excellent optical transmission range
- path length 10 mm
- outer dimensions 12.5 x 12.5 x 45 mm
- supplied in practical styrofoam racks: 100 net identical cuvettes in a styrofoam box with a resealable cover

Product	Description	Volume ml	Packaging	Quantity per Pack	Order No.
ratiolab® semi-micro cuvettes	PMMA	1.6	styrofoam racks 10 x 100	1000	28 10 100
ratiolab® macro cuvettes	PMMA	4.0	styrofoam racks 10 x 100	1000	28 11 110



ratiolab® Cuvets, Solvent Resistant

- resistant against polar solvents
- applicable wavelength range 220 to 900 nm
- very low variation of extinction values
- excellent optical transmission range
- cavity-sorted production
- embossed areas aside the measuring fields reduces the risks of damaging the cuvette by the cuvette holder.
- path length 10 mm
- outer dimensions 12.5 x 12.5 x 45 mm
- supplied in practical styrofoam racks: 100 netidentical cuvettes in a styrofoam box with a resealable cover



Product	Description	Volume ml	Packaging	Quantity per Pack	Order No.
ratiolab® semi-micro cuvettes	solvent resistant	1.6	styrofoam rack 1 x 100	100	27 25 120
ratiolab® macro cuvettes	solvent resistant	4.0	styrofoam rack 1 x 100	100	27 25 110



Stopper for Cuvets

Polypropylene (PP).

- for all ratiolab® cuvettes
- packed in 1 plastic bag of 1000 pieces
- solvent resistant

Type	Packaging	Quantity per Pack	Order No.
Stoppers for cuvettes	bag 1 x 1000	1000	28 12 011

Analysis Beakers and Scintillation Vessels

CE IVD

Analysis Beakers

Clear polystyrene (PS).

- high-precision design for use with robotic analytical systems Technicon T1 / T2; Gemsac G1 / Hitachi H1



Product	Fig. No.	Volume ml	Packaging	Quantity per Pack	Order No.
analysis beakers Technicon T1	1	2.0	1 x 1000	1000	57 00 110
analysis beakers Technicon T2	2	3.5	1 x 1000	1000	57 00 120
analysis beakers Gemsac G1	3	0.5	1 x 1000	1000	57 00 200
analysis beakers Hitachi H1	4	3.0	1 x 1000	1000	57 00 401



Scintillation Vessels

Natural polyethylene (PE-HD).

- high-precision design for use with robotic analytical systems
- insert tubes with special leakproof cap
- convenient opening and closing

Product	Fig. No.	Volume ml	Ø x H mm	Packaging	Quantity per Pack	Order No.
scintillation bottles with cap	1	20	27 x 60	cardboard box 1 x 1000	1000	58 10 100
caps for scintillation bottles	–	–	–	bag 1 x 1000	1000	58 10 10D
insert tubes with caps for scintillation bottles	2	5	14 x 56	cardboard box 2 x 1000	2000	58 10 110

Test Tubes and Stoppers

Test Tubes

Clear polystyrene (PS) or translucent polypropylene (PP).



Product	Fig. No.	Ø x H mm	Material	Volume ml	Bottom	Packaging	Quantity per Pack	Order No.
RIA tubes	1	11 x 70	PS	4	round	bag 1 x 1000	1000	35 14 040
coagulometer tubes	2	12 x 55	PS	4	round	bag 1 x 1000	1000	30 14 030
test tubes	3	12 x 75	PS	5	round	bag 1 x 1000	1000	35 14 030
test tubes	4	12 x 75	PP	5	round	bag 1 x 1000	1000	35 14 031
test tubes	5	12 x 75	PS	4.5	conical	bag 1 x 1000	1000	37 14 040
test tubes	3	13 x 75	PS	5,1	round	bag 1 x 1000	1000	35 14 032
test tubes	4	13 x 75	PP	5,1	round	bag 1 x 1000	1000	35 14 033
test tubes	6	16 x 100	PS	12	round	bag 1 x 1000	1000	37 14 010
test tubes	7	16 x 100	PP	12	round	bag 1 x 1000	1000	38 14 010
test tubes	8	17 x 103	PS	12	conical	bag 1 x 1000	1000	37 14 020
test tubes	9	18 x 105	PS	12	conical	bag 1 x 1500	1500	35 20 000
test tubes	10	18 x 105	PS	12	round	bag 1 x 1500	1500	36 22 000

Stoppers for test tubes, Ø 11 – 12 mm

Polyethylene (PE).

- very tight seal due to 2 sealing rings
- available in natural and 4 more colors
- fit to test tube: figure 1-5



Color	Packaging	Quantity per Pack	Order No.
natural	bag 1 x 1000	1000	35 14 900
blue	bag 1 x 1000	1000	35 14 90B
green	bag 1 x 1000	1000	35 14 90G
red	bag 1 x 1000	1000	35 14 90R
yellow	bag 1 x 1000	1000	35 14 90Y

Stoppers for test tubes, Ø 16 – 17 mm

Polyethylene (PE).

- very tight seal due to 2 sealing rings
- available in natural and 4 more colors
- fit to test tube: figure 6-7



Color	Packaging	Quantity per Pack	Order No.
natural	bag 1 x 1000	1000	39 14 900
blue	bag 1 x 1000	1000	39 14 90B
green	bag 1 x 1000	1000	39 14 90G
red	bag 1 x 1000	1000	39 14 90R
yellow	bag 1 x 1000	1000	39 14 90Y

Cell Counter Vials and Centrifuge Tubes

Cell Counter Vials

Cell counter vials made of clear polystyrene (PS).

- high-precision design for use with robotic analytical systems



Product	Fig. No.	Volume ml	Material	Packaging	Quantity per Pack	Order No.
for Coulter® and Hycel® cell counter systems						
Cell-Coun-Tainer 1 with lid	1	25	PS	PS-tray 20 x 50	1000	55 15 010
Cell-Coun-Tainer 1 with lid	1	25	PS	bags 4 x 250	1000	55 15 040
Cell-Coun-Tainer 1 without lid	–	25	PS	bags 4 x 250	1000	55 15 041
lids for Cell-Coun-Tainer 1	–	–	PE	bag 1 x 1000	1000	55 15 04D
for cell counter systems with cylindrical containers, e.g. Al® and Linson®						
Cell-Coun-Tainer 2 without lid	2	20	PS	bag 1 x 1000	1000	55 15 051
stoppers for Cell-Coun-Tainer 2, Ø 22 mm	–	–	PP	bag 1 x 1000	1000	55 15 052
Cell-Coun-Tainer 3 with lid	3	13	PS	bags 4 x 500	2000	55 15 060
Cell-Coun-Tainer 3 without lid	–	13	PS	bags 4 x 500	2000	55 15 061
lids for Cell-Coun-Tainer 3	–	–	PE	bag 1 x 1000	1000	55 15 06D



Centrifuge Tubes

CE IVD*

Polypropylene (PP).

- with round, conical bottom or stand alone
- centrifuge tubes with blue cap available with printed graduations and field frosted for writing
- supplied in non-sterile or sterile
- with blue screw cap or closure

*except 38 14 020

Volume ml	Fig. No.	Bottom	Centrifugable g	Sterilized	Ø x H mm	Packaging	Quantity per Pack	Order No.
12	1	round	30000	–	18 x 98	bag 1 x 100	100	38 14 020
15	2	conical	3000	–	17 x 120	bags 5 x 150	750	33 00 005
15	2	conical	3000	■	17 x 120	bags 5 x 150	750	33 00 006
50	3	conical	3000	–	30 x 115	bags 6 x 50	300	33 00 001
50	3	conical	3000	■	30 x 115	bags 6 x 50	300	33 00 002
50	4	self-standing	3000	–	30 x 115	bags 5 x 50	250	33 00 003
50	4	self-standing	3000	■	30 x 115	bags 5 x 50	250	33 00 004

Microcentrifuge Tubes

Microcentrifuge Tubes

Polypropylene (PP) or translucent Polyethylene (PE-LD).

- autoclavable with opened cap at 121 °C, 20 min
- natural color or different colors for comfortable identification
- tight sealing cap
- safe and easy to be opened and closed



Volume ml	Fig. No.	Material	Cap	Color	Graduation and Labeling area	Packaging	Quantity per Pack	Order No.
0.4 Beckman	1	PE	■	natural	–	1 x 1000	1000	56 15 400
0.5	2	PP	■	natural	■	1 x 1000	1000	56 15 030
1.5	3	PP	■	natural	■	2 x 500	1000	56 15 000
1.5	–	PP	■	yellow	■	2 x 500	1000	56 15 001
1.5	–	PP	■	green	■	2 x 500	1000	56 15 002
1.5	–	PP	■	red	■	2 x 500	1000	56 15 003
1.5	–	PP	■	blue	■	2 x 500	1000	56 15 004
1.5	4	PP	–	natural	■	1 x 1000	1000	56 15 020
2.0	5	PP	■	natural	■	1 x 1000	1000	56 15 101
2.0	–	PP	–	natural	■	1 x 1000	1000	56 15 102

ratiolab® Safety-Cap Microcentrifuge tubes

Polypropylene (PP).

The new cap sealing of test tubes ensures an extreme tightness which is essential for applications with valuable samples, radioactive materials and DNA.

- autoclavable with opened cap at 121 °C, 20 min
- centrifugable up to 30000g
- free of RNase-, DNase-, DNA-, pyrogens
- free of human DNA, endotoxin-free
- produced in microbiologically controlled clean room ISO Class 8 146441-1
- optimal tightness due to tight serration at the cap and tight channel at the tube; thereby a low evaporation is guaranteed
- secured shut due to form-closed cap lock; accidental opening of the lid during incubation is not possible
- high chemical resistance
- labeling areas on the cap and tube
- graduated for easy determination of the volume

The additional safety lock prevents uncontrolled opening of the tubes.



Volume ml	Fig. No.	Packaging	Quantity per Pack	Order No.
0,5	1	2 x 500	1000	56 15 038 New
1,5	2	1 x 1000	1000	56 15 008
2,0	3	2 x 500	1000	56 15 108 New

free of DNA, DNase, pyrogens and ATP

Microcentrifuge Tubes and Micro Centrifuge

free of DNase, RNase
and pyrogens

CE IVD

Microcentrifuge tubes with screw cap and O-Ring Seal

Polypropylene (PP).

- with conical bottom or additional self-standing
- sterilized
- centrifugable up to approx. 25.000 g
- temperature-resistant from -80°C to $+121^{\circ}\text{C}$
- autoclavable up to $+121^{\circ}\text{C}$
- \varnothing x H: 13.1 mm x 48 mm



Volume ml	Fig. No.	Bottom	Labeling Area	Sterilized	Packaging	Quantity per Pack	Order No.
0.5	1	self-standing	–	■	2 x 500	1000	56 16 021
0.5	2	conical	–	■	2 x 500	1000	56 16 023
1.5	3	self-standing	■	■	2 x 500	1000	56 16 022
1.5	4	conical	■	■	2 x 500	1000	56 16 027
2.0	5	self-standing	■	■	2 x 500	1000	56 16 026
2.0	6	conical	■	■	2 x 500	1000	56 16 025



Micro Centrifuge for PCR Strips and Microcentrifuge Tubes

Space- and energy-saving micro centrifuge with adequate power for routine centrifugations.

- speed 7000/min, max RCF 2680 x g
- lid must be closed for operation mode
- safety: the lid can only be opened when the rotor is not rotating
- rapid start and stop within seconds
- power supply AC100-240V/50Hz/60Hz
- diameter 150 mm, height 117 mm, weight 0.5 kg
- supplied complete with two rotors:
 - rotor 1 for: 8 microcentrifuge tubes 0.5 ml till 2.0ml
 - rotor 2 for: 16 microcentrifuge tubes 0.2 ml or two pcr strips of 8 tubes 0.2 ml

Product	Quantity per Pack	Order No.
Micro Centrifuge with two rotors	1	71 00 007

ratiolab® Multistand Rack and Rack for Microcentrifuge Tubes




ratiolab® Multistand Rack

Polyamide (PA).

With the ratiolab® Multistand you have the opportunity to use it with several microcentrifuge tubes, cryo tubes and test tubes with different diameters through the patented holder to fix safely.

- for tubes Ø 10 to Ø 17 mm
- dishwasher safe
- max. working temperature: 90 °C



The special designed inner clamps (patent) fixes the test tubes centric and vertical at any time.



Color	Positions	W x D x H mm	Packaging	Order No.
white	5 x 5	105 x 105 x 42	1	37 12 101



Rack for Microcentrifuge Tubes

Polypropylene (PP).

Ideal for the secure handling of reaction vessels. Space-saving on the laboratory bench due to its narrow form. Practical side grips.

- 5 x 16 wells for 1.5 and 2.0 ml reaction vessels
- autoclavable at 121 °C
- temperature-resistant from – 80 °C to +121 °C
- 225 mm x 65 mm x 28 mm (LxWxH)

Color	For micro tubes	Positions	Packaging	Order No.
green	1.5 – 2.0 ml	5 x 16	5	37 12 006
pink	1.5 – 2.0 ml	5 x 16	5	37 12 008
blue	1.5 – 2.0 ml	5 x 16	5	37 12 005
orange	1.5 – 2.0 ml	5 x 16	5	37 12 007
yellow	1.5 – 2.0 ml	5 x 16	5	37 12 009

Wide-neck bottle and Multipurpose containers



Wide-neck bottle, square bottom

High quality polyethylene (PE-HD).

- color: natural, translucent
- for easy identification the closure is made of blue polypropylene
- with originality seal ring on the closure
- 250 ml and 500 ml bottle with UN approval 3H1/x0.8/S
- supplied: bottle and separate closure, non-sterile

Volume ml	Fig. No.	Neck Ø mm	Height mm	W x D mm	Packaging	Quantity per Pack	Order No.
50	1	28	88	36 x 36	cardboard box 1 x 100	100	59 24 050
250	2	45	129	59 x 59	cardboard box 1 x 100	100	59 24 250
500	3	54	162	75 x 75	cardboard box 1 x 50	50	59 24 500

New
New
New



Multipurpose containers

Polypropylene (PP).

The best round containers for sampling or storing of liquids, paste or powder medicine. The containers are available in three sizes.

- for easy identification and the option to mark them with a pen the containers are white
- suitable for freezer storage
- open autoclavable at 121 °C
- supplied: container with screw-cap, non-sterile

Volume ml	Fig. No.	Ø mm	Height mm	Packaging	Quantity per Pack	Order No.
50	1	35	74	cardboard box 1 x 200	200	59 23 050
250	2	65	90	cardboard box 1 x 100	100	59 23 250
500	3	90	86	cardboard box 1 x 72	72	59 23 500

New
New
New

Multi Purpose Beakers

Multi Purpose beakers with screw-caps



Polypropylene (PP) or polystyrene (PS).

For sampling, transport and storage of solid, pasty and liquid samples.

- with red screw-cap
- supplied in non-sterile or sterile, individually packed



Volume ml	Fig. No.	Material	Graduation and Labeling area	Sterilized	Height with cap, mm	Ø cap, outer, mm	Packaging	Quantity per Pack	Order No.
30	1	PP	–	–	46.5	42.5	cardboard box 1 x 1000	1000	59 21 173
30	1	PP	–	■	46.5	42.5	bags 1000 x 1	1000	59 21 174
60	2	PP	■	–	65.5	42.5	cardboard box 1 x 600	600	59 21 175
60	2	PP	■	■	65.5	42.5	bags 500 x 1	500	59 21 176
120	3	PP	■	–	72.5	62.5	cardboard box 1 x 500	500	59 21 182
120	3	PP	■	■	72.5	62.5	bags 250 x 1	250	59 21 183
200	4	PP	–	–	80	64	cardboard box 1 x 200	200	59 21 185
200	4	PP	–	■	80	64	bags 150 x 1	150	59 21 184
200	5	PS	–	■	81.5	64	bags 150 x 1	150	59 21 188

ratiolab® Multi Purpose Beaker System and Multi Purpose bottles



ratiolab® Multi Purpose Beakers

Glass-clear polystyrene (PS).

- volume 100 ml, with graduation
- self-adhesive film cover, leakproof and easily labelled
- comfortable sampling, the film cover can be pierced with pipet tips
- practical packaging, 50 multi purpose beakers are stacked in PE-bags for use with the beaker dispenser

Product	Packaging	Quantity per Pack	Order No.
ratiolab® multi-purpose beakers with cover	bags 20 x 50	1000	59 21 170
ratiolab® multi-purpose beakers without cover	bags 20 x 50	1000	59 21 171
self-adhesive film covers for beakers	bag 1 x 500	500	59 21 160

ratiolab® Beaker Tray and Beaker Dispenser for Multi Purpose Beakers

Beaker Tray: Robust plastics with easy-to-clean surface.

- for 10 ratiolab® multi purpose beakers

Beaker Dispenser: Robust plastics with easy-to-clean surface.

- for 50 ratiolab® multi purpose beakers
- for individual beaker dispensing
- glass-clear dispenser door for refills makes stock visible
- separate side box for stocking of self-adhesive film covers

Product	Fig. No.	Quantity per Pack	Order No.
ratiolab® beaker tray	1	1	59 21 200
ratiolab® beaker dispenser	2	1	59 21 190

Multi Purpose bottles

Polyethylene, blue translucent (PE).

- inclusive lid with nonwoven fabric liner
- with graduations, light protection
- wide neck diameter 80 mm
- Volume: 2.5 l

Product	Packaging	Quantity per Pack	Order No.
Multi purpose bottle 2.5 l with self-adhesive labels	cardboard box 1 x 60	60	59 22 250
lids for Multi purpose bottle 2 and 2.5 l	bag 1 x 100	100	59 22 204
self-adhesive labels for Multi purpose bottle 2.5 l	bag 1 x 100	100	59 22 253

ratiolab® Cleanibag System and Autoclavable bags BIOHAZARD



ratiolab® Cleanibag System

All-purpose PE bags with self-adhesive strip for clinical and laboratory use.

- self-adhesive strip, sticks on smooth and clean surfaces (e.g. walls, work benches, beds, bedside tables)
- residue-free on removable

On request: other sizes, including for intensive care, bags with custom-made imprint

W x H mm	Volume approx. l	Packaging	Quantity per Pack	Order No.
200 x 300	1.5	cardboard box 1 x 1000	1000	70 00 250
300 x 300	6.5	cardboard box 1 x 1000	1000	70 00 260
300 x 450	8	cardboard box 1 x 1000	1000	70 00 270

Indicator patch



ratiolab® Autoclavable bags BIOHAZARD red – Warning Instruction and sterilization indicator patch

Made of robust polyethylene (PE).

Distinctive red autoclavable bags for easy identification, for the disposal of contaminated labware.

- rectangle white indicator patch field turns into dark when autoclaved
- with BIOHAZARD symbol and safety imprint in English, German, French and Spanish languages
- autoclavable at 121 °C, for autoclaving, the bag must not be completely closed
- practical bench-top stand, plastic-coated, with 3 rubber feet



W x H mm	Volume approx. l	Film Thickness	Packaging	Quantity per Pack	Order No.
210 x 290	1.5	20 µm	cardboard box 10 x 100	1000	New 70 02 110
Set consisting of bench-top stand and 100 red waste disposal bags 210 x 290 mm				1	New 70 01 410

ratiolab® Autoclavable bags BIOHAZARD – Warning Instruction and sterilization indicator patch

Autoclavable disposable waste bag of very strong PP-film with a broad seam at the bottom, for the sterilization and disposal of hazardous and contaminated labware.

- rectangle white indicator patch field turns into dark when autoclaved
- with BIOHAZARD sticker and safety imprint in English, German, French and Spanish language
- autoclavable at 134 °C, for autoclaving, the bag must not be completely closed



W x H mm	Volume approx. l	Film Thickness	Packaging	Quantity per Pack	Order No.
300 x 500	8	50 µm	cardboard box 1 x 500	500	70 02 100
400 x 780	38	50 µm	cardboard box 1 x 500	500	70 02 150
600 x 800	60	50 µm	cardboard box 1 x 500	500	70 02 200
700 x 1100	110	50 µm	cardboard box 1 x 350	350	70 02 300

ratiolab® Waste Disposal Bag

ratiolab® Waste Disposal Bag, Standard

Bags of very strong PP-film with a broad seam at the bottom, for the disposal of contaminated labware.

- autoclavable at 134 °C, for autoclaving, the bag must not be completely closed
- only for bag size 200 x 300 mm: practical bench-top stand, plastic-coated, with 3 rubber feet



W x H mm	Volume approx. l	Film Thickness	Packaging	Quantity per Pack	Order No.
200 x 300	2.5	50 µm	dispenser 1 x 100	100	70 01 000
300 x 500	8	50 µm	cardboard box 1 x 500	500	70 01 100
400 x 780	38	50 µm	cardboard box 1 x 500	500	70 01 150
600 x 800	60	50 µm	cardboard box 1 x 500	500	70 01 200
600 x 800	60	50 µm	cardboard box 1 x 100	100	70 01 210
600 x 800	60	100 µm	cardboard box 1 x 125	125	70 01 212
700 x 1100	110	50 µm	cardboard box 1 x 350	350	70 01 300
700 x 1100	110	50 µm	cardboard box 1 x 75	75	70 01 310
700 x 1100	110	100 µm	cardboard box 1 x 75	75	70 01 311
bench-top stand for waste disposal bags 200 x 300 mm				1	70 01 400
Set consisting of bench-top stand and 100 waste disposal bags (standard) 200 x 300 mm				1	70 01 401

ratiolab® Waste Disposal Bag, High Transparency

Bags of very strong PP-film with a broad seam at the bottom, for the disposal of contaminated labware.

- autoclavable at 121 °C, for autoclaving, the bag must not be completely closed
- only for bag size 200 x 300 mm: practical bench-top stand, plastic-coated, with 3 rubber feet



W x H mm	Volumen approx. l	Film Thickness	Packaging	Quantity per Pack	Order No.
200 x 300	2.5	50 µm	dispenser 1 x 100	100	70 01 005
300 x 500	8	50 µm	cardboard box 1 x 500	500	70 01 105
400 x 780	38	50 µm	cardboard box 1 x 500	500	70 01 155
600 x 800	60	50 µm	cardboard box 1 x 500	500	70 01 205
700 x 1100	110	50 µm	cardboard box 1 x 350	350	70 01 305
bench-top stand for waste disposal bags 200 x 300 mm				1	70 01 400
Set consisting of bench-top stand and 100 waste disposal bags (high transparency) 200 x 300 mm				1	70 01 405

Petri Dishes, Inoculating Loops, Incubator



Petri Dishes

CE IVD

Transparent polystyrene (PS).
Uncoated, with vents. Sterilized or clean as produced.

Ø x H mm	Description	Packaging	Quantity per Pack	Order No.
60 x 14	with vents	50 x 10	500	90 50 006
60 x 14	sterilized, with vents	50 x 10	500	90 50 106
90 x 15	with vents	25 x 20	500	90 50 000
90 x 15	sterilized, with vents	25 x 20	500	90 50 100
147 x 18	with vents	11 x 20	220	90 50 004
147 x 18	sterilized, with vents	11 x 20	220	90 50 104
65 x 14	with triple vents with compartments	25 x 20	500	90 50 005
65 x 14	sterilized, with triple vents with compartments	25 x 20	500	90 50 105



Inoculating Loops

CE IVD

Made of polystyrene (PS).

- hexagonal handle for safe handling
- gamma-sterile
- sterile, individually packed in easy to open peel-packs

Product	Packaging	Quantity per Pack	Order No.
1 µl inoculating loops	2 boxes of 50 peel-packs of 20	2000	70 20 100
10 µl inoculating loops	2 boxes of 50 peel-packs of 20	2000	70 20 200



ratiolab® thermocult Incubator

CE

Compact incubator for bacteriology. Fixed temperature setting at $35 \pm 2^\circ\text{C}$. With built-in control thermometer. Glass-clear door for visual control. The incubator can be placed on work benches or be mounted on walls or underneath cabinets.

- inside size (W x D x H): 210 x 145 x 110 mm, for up to 20 tissue cultures or 8 petri dishes
- outside size (W x D x H): 300 x 170 x 150 mm
- weight: approx. 1.3 kg, power: 220 V, 30 W

Product	Quantity per Pack	Order No.
ratiolab® thermocult	1	90 22 000
shelf	1	90 22 001

Ear Tips, Ear Funnels



Ear Tips, Ear Funnels



Hygienic and safe disposable products. Once attached, they remain fixed on most commonly used otoscopes. Ergonomic and smoothly formed. No sharp edges.

Ear Tips

Made of high quality polystyrene (PS).

- for Heine K180®, Mini 3000®, Beta 200®, KaWe Piccolight C®, Riester ri-mini® otoscopes
- high precision
- the hygienic disposable alternative

Ø mm	Color	Packaging	Quantity per Pack	Order No.
2.5	black	bags 20 x 50	1000	10 20 340
2.5	black	bags 2 x 500	1000	10 20 350
2.5	black	bag 1 x 1000	1000	10 20 330
2.5	grey	bags 20 x 50	1000	10 20 250
2.5	grey	bags 2 x 500	1000	10 20 260
2.5	grey	bag 1 x 1000	1000	10 20 230
4.0	black	bags 20 x 50	1000	10 20 341
4.0	black	bags 2 x 500	1000	10 20 351
4.0	black	bag 1 x 1000	1000	10 20 331
4.0	grey	bags 20 x 50	1000	10 20 251
4.0	grey	bags 2 x 500	1000	10 20 261
4.0	grey	bag 1 x 1000	1000	10 20 231

Ear Funnels

Made of high quality polystyrene (PS).

- for Heine Beta 100® otoscopes
- high precision
- the hygienic disposable alternative

Ø mm	Color	Packaging	Quantity per Pack	Order No.
2.5	black	bag 1 x 1000	1000	10 20 240
2.5	black	bags 2 x 500	1000	10 20 243
2.5	black	bags 20 x 50	1000	10 20 540
4.0	black	bag 1 x 1000	1000	10 20 241
4.0	black	bags 2 x 500	1000	10 20 242
4.0	black	bags 20 x 50	1000	10 20 541

® registered trade mark

Life Science



Think! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications

Micro Test Plates

96-Well Micro Test Plates, volume approx. 300 µl

Clear polystyrene (PS) or translucent polypropylene (PP).

- with U-, F-, or V-bottom
- SBS standard micro test plate format
- 8 x 12 wells alphanumerically coded
- wells with raised rims for reduced cross-contamination and effective sealing with Ratiolab cover films (see on page 63)
- precise design, perfectly shaped for use with automatic systems
- optimum space for precise positioning
- space-saving and stackable
- polypropylene plates may be sealed with heat-sealing films without deformation



PS




PP



Bottom	Material	Sterilized	Packaging	Quantity per Pack	Order No.
U	PS	–	bags 10 x 10	100	60 18 111
U	PS	■	individually in bags 100 x 1	100	60 18 113
U	PP	–	bags 10 x 10	100	60 18 121
U	PP	■	individually in bags 100 x 1	100	60 18 123
F	PS	–	bags 10 x 10	100	60 18 211
F	PS	■	individually in bags 100 x 1	100	60 18 213
F	PP	–	bags 10 x 10	100	60 18 221
F	PP	■	individually in bags 100 x 1	100	60 18 223
V	PS	–	bags 10 x 10	100	60 18 311
V	PS	■	individually in bags 100 x 1	100	60 18 313
V	PP	–	bags 10 x 10	100	60 18 321
V	PP	■	individually in bags 100 x 1	100	60 18 323

Micro Test Plates



96-Well Luminescence Plates, volume approx. 300 µl

Polypropylene (PP).

- with U-bottom or with F-bottom
- SBS standard micro test plate format
- 8 x 12 wells alphanumerically coded
- wells with raised rims for reduced cross-contamination and effective sealing with Ratiolab cover films (see on page 63)
- precise design, perfectly shaped for use with automatic systems
- optimum space for bar code labels on the side walls
- space-saving and stackable

Bottom	Color	Packaging	Quantity per Pack	Order No.
U	black	bags 10 x 10	100	60 18 710
F	white	bags 10 x 10	100	60 18 720

Lids for Micro Test Plates

Optional in highly transparent polystyrene (PS) or polypropylene (PP).


Material	Sterilized	Packaging	Quantity per Pack	Order No.
PS	–	bags 10 x 10	100	60 18 402
PS	■	individually in bags 100 x 1	100	60 18 401
PP	–	bags 10 x 10	100	60 18 422
PP	■	individually in bags 100 x 1	100	60 18 421

Deep-Well-Blocks

ratiolab® low-profile deep-well blocks (96)


These 1.2 ml low-profile deep-well blocks are ideal for pharmaceuticals, biotechnology and diagnostics. Of the same standard dimensions (Society for Biomolecular Sciences – SBS), they are one-third lower than standard deep-well plates (96). They thus require less space! Requiring some 30% less space, they help to optimize warehouse space, hence lowering costs – especially for expensive cryo-storage applications.

The cavities are some 20% larger than conventional plates. Thus, when used with robots, they provide additional security. The chimney form of the wells reliably prevents cross-contamination. Their precise, true-to-size form makes them highly suitable for high-throughput screening (HTS).



Clear polypropylene (PP).

- about half as high as conventional deep-well blocks at 1.2 ml fill volume
- SBS standard micro test plate format
- well with significantly larger cross section
- wells with raised rims for reduced cross-contamination
- improved visual control due to clear polypropylene
- autoclavable at 121 °C, 20 min
- temperature resistant to – 80 °C
- 8 x 12 wells with alphanumeric code in micro test plate format
- optimally sealing with Ratiolab cover films (see on page 63)
- precise design, for use in automatic pipetting systems for High Throughput Screening (HTS)
- optimum space for bar code labels on the side walls
- space-saving and stackable



Deep-Well-Blocks



1



2



3



4

96-Deep-Well-Blocks

Translucent polypropylene (PP), surface with very low protein binding.

Volume per Well ml	Fig. No.	Bottom	Packaging	Quantity per Pack	Order No.
0.3	1	U	bags 10 x 10	100	60 20 003
0.3	1	V	bags 10 x 10	100	60 21 003
1.2	2	U	bag 10 x 5	50	81 01 012
1.2*	3	U	bags 10 x 5	50	60 20 121
2.2	4	V	bags 10 x 5	50	60 20 221

* free of DNA, RNA, **square wells

Closures for ratiolab® 96-Well Deep-Well-Blocks Low Profile, 1.2 ml

Made of thermo-plastic elastomer (TPE).

- suitable to 81 01 012
- autoclavable to 121 °C, 20 min

Product	Fig. No.	Material	Packaging	Quantity per Pack	Order No.
96-well-cover mat	1	TPE	cardboard box 10 x 10	100	81 01 101

Closures for 96-Well Deep-Well-Blocks

Made of thermo-plastic elastomer (TPE) or ethylene vinyl acetate (EVA).

- closures 82 00 008 and 82 00 009 suitable to Deep-Well-Block 60 020 121
- closures 82 00 010 suitable to Deep-Well-Block 60 20 221

Product	Fig. No.	Material	Packaging	Quantity per Pack	Order No.
1.2 ml 8-well-cover strips	2	TPE	bag 1 x 1000	1000	82 00 008
1.2 ml 96-well-cover mats	3	TPE	bags 10 x 10	100	82 00 009
2.2 ml 96-well-cover mats**	4	EVA	bags 50 x 1	50	82 00 010

**for 96-square well plates



1



2



4

ratiolab® Micro-Tubes System

The ratiolab® Micro-Tubes System

This is a highly practical system for processing small volumes. The reusable Micro-Rack is the work station and takes 96 micro-tubes in the standard 8 x 12 SBS microplate format. It is a stable and robust system and has a dust-tight lid. A sloping edge helps the positioning of the refill unit. The side edges can be labeled with a barcode. The rack is excellently suited to use in automatic dosing and robotic systems.

The 0.65 and 1.2 ml micro-tubes can be supplied as single, strips of 8 or in 96-well format as a refill system for 8 x 12 plates.

The tubes are closable either with an 8-lid strip or an 8 x 12 closure mat.

- the Micro-Tubes are autoclavable for 20 min at 121 °C
- temperature-resistant to – 80 °C





The refill system ensures easy, rapid and hygienic refilling of the Micro-Racks.

Lid

Plate

with tubes

The tubes can be removed singly and are numbered on the bottom.



Micro-Rack



Micro-Tubes 2.0 ml

ratiolab® Micro-Tubes System



ratiolab® Micro-Tubes

Translucent polypropylene (PP) with very low protein binding.

- available as individual Micro-Tubes or Micro-Tube-Strips of 8 tubes for use with Micro-Racks
- volume 0.65 or 1.2 ml with round bottom

Product	Volume ml	Bottom	Packaging	Quantity per Pack	Order No.
ratiolab® Micro-Tubes, individual	0.65	round	bags 5 x 1000	5000	82 00 021
ratiolab® Micro-Tubes, individual	1.2	round	bags 5 x 1000	5000	82 00 001
ratiolab® Micro-Tube-Strips of 8 tubes	0.65	round	bags 5 x 120	600	82 00 022
ratiolab® Micro-Tube-Strips of 8 tubes	1.2	round	bags 5 x 120	600	82 00 002



ratiolab® Micro-Racks, loaded or empty

Micro-Racks, tray and lid of translucent polypropylene (PP).

- available as empty racks or equipped with coded or non-coded Micro-Tubes
- pressure-tested tightness of the Micro-Tubes
- stackable, for the use with stacker instruments

Product	Volume ml	Bottom	Packaging	Quantity per Pack	Order No.
ratiolab® Micro-Racks, loaded, non-coded	0.65	round	50 Micro-Racks of 96 Micro-Tubes	50	82 00 023
ratiolab® Micro-Racks, loaded, coded	0.65	round	50 Micro-Racks of 96 Micro-Tubes	50	82 00 024
ratiolab® Micro-Racks, empty	0.65	–	50 Micro-Racks for 96 Micro-Tubes	50	82 00 027
ratiolab® Micro-Racks, loaded, non-coded	1.2	round	50 Micro-Racks of 96 Micro-Tubes	50	82 00 003
ratiolab® Micro-Racks, loaded, coded	1.2	round	50 Micro-Racks of 96 Micro-Tubes	50	82 00 004
ratiolab® Micro-Racks, empty	1.2	–	50 Micro-Racks for 96 Micro-Tubes	50	82 00 007



ratiolab® Micro-Tubes Refill System for Micro-Racks

The Micro-Tubes are placed on an 8 x 12 tray and packed in an environmentally friendly cardboard box. The loaded tray can easily be moved from the cardboard box into the empty Micro-Rack.

- available with coded or non-coded Micro-Tubes
- for the very efficient, hygienic, and fast loading of Micro-Racks
- convenient handling and reduced waste
- pressure-tested tightness of the Micro-Tubes

Product	Volume ml	Bottom	Packaging	Quantity per Pack	Order No.
Micro-Tubes Refill-System for Micro-Racks					
ratiolab® Refill with 96 Micro-Tubes, non-coded	0.65	round	50 Refills of 96 Micro-Tubes	50	82 00 025
ratiolab® Refill with 96 Micro-Tubes, coded	0.65	round	50 Refills of 96 Micro-Tubes	50	82 00 026
ratiolab® Refill with 96 Micro-Tubes, non-coded	1.2	round	50 Refills of 96 Micro-Tubes	50	82 00 005
ratiolab® Refill with 96 Micro-Tubes, coded	1.2	round	50 Refills of 96 Micro-Tubes	50	82 00 006
Closures for ratiolab® Micro-Tubes					
8-cap-Strips			bag 1 x 1000	1000	82 00 008
8 x 12 cover mats			bag 10 x 10	100	82 00 009

Further cover films see on page 63.



PCR* Tubes

Pure polypropylene (PP).

- rapid and homogeneous heat transfer due to consistently ultrathin wall design
- perfect fit, compatible with all major brands of thermocyclers due to precise production
- DNase-, RNase-, DNA and endotoxin-free
- variety of tight closures available to reduce sample evaporation

PCR* Tubes, single

- volume 0.2 or 0.5 ml
- with attached cap, flat or domed
- caps designed for tight sealing, easy to open and to close

Volume ml	Fig. No.	Cap	Packaging	Quantity per Pack	Order No.
0.2	1	flat	bag 1 x 1000	1000	86 10 006
0.2	2	domed	bag 1 x 1000	1000	86 10 001
0.5	3	flat	bag 1 x 1000	1000	86 10 007
0.5	4	domed	bag 1 x 1000	1000	86 10 005

PCR* Strips of 8 Tubes

- volume 0.2 ml
- with attached domed cap strips or for use with detached 8-cap strips
- caps designed for tight sealing, easy to open and to close

Volume ml	Fig. No.	Caps	Packaging	Quantity per Pack	Order No.
with attached individual caps					
8 x 0.2	5	flat	bag 1 x 125	125	86 10 040
8 x 0.2	6	domed	bag 1 x 125	125	86 10 039
for separate cap strips					
8 x 0.2	7	without	bag 1 x 125	125	86 10 002
cap strips					
8-cap-strips	8	flat	bag 1 x 125	125	86 10 015
8-cap-strips	9	domed	bag 1 x 125	125	86 10 003

* The Polymerase Chain Reaction (PCR) is a patented process by Hoffmann-La Roche.


PCR* Plates

96-well PCR* Plates

These plates conform fully to the highest requirements of PCR* (Polymerase Chain Reaction). They are made of polypropylene and are characterized by their very thin but uniform walls. In this way, optimal heat transfer in short cycle times is achieved. The smooth inside walls of the cavities minimize the binding of enzymes and nucleic acids.

The plates are free of DNA, DNase and RNase. They are available optionally without or with edges (the latter to minimize cross-contamination).

- working volumes 0.2 ml
- alphanumeric coding for optimal sample identification
- available in three versions for various PCR systems



Volume ml	Fig. No.	Description	Packaging	Quantity per Pack	Order No.
96 x 0.2	1	without rim, low form	bags 10 x 10	100	86 10 014
96 x 0.2	2	without rim, high form	bags 4 x 25	100	86 10 010
96 x 0.2	3	with rim, high form	cardboard box 4 x 25	100	86 10 011

* The Polymerase Chain Reaction (PCR) is a patented process by Hoffmann-La Roche.

PCR* Accessories and Micro Centrifuge



96-Well PCR-Rack

Polypropylene (PP).

Work and storage rack for 0.2 and 0.5 ml PCR tubes, PCR strips, and PCR segments.

- 8 x 12 positions, micro test plate format
- autoclavable
- available in five colors for the convenient identification of different types of samples
- transparent lids available in two different heights

Product	Material	Quantity per Pack	Order No.
PCR-Rack white	PP	10	61 14 100
PCR-Rack yellow	PP	10	61 14 101
PCR-Rack green	PP	10	61 14 103
PCR-Rack red	PP	10	61 14 104
PCR-Rack blue	PP	10	61 14 102
lid for PCR-Racks, 14 mm high	PP	10	61 14 110
lid for PCR-Racks, 28 mm high	SAN**	10	61 14 111

** Styrol-Acrylnitril

Floating Cryo Racks

Ideal for the thawing out or cooling of samples in PCR tubes and PCR strips. The loaded racks remain floating. The tubes fit firmly in the racks and keep them well positioned in the bath.

Product	Quantity per Pack	Order No.
Floating Cryo Racks for 10 PCR tubes	10	61 14 200
Floating Cryo Racks for 4 PCR strips of 8 tubes	10	61 14 201


Micro Centrifuge for PCR Strips and Microcentrifuge Tubes

Space- and energy-saving micro centrifuge with adequate power for routine centrifugations.


- speed 7000/min, max RCF 2680 x g
- lid must be closed for operation mode
- safety: the lid can only be opened when the rotor is not rotating
- rapid start and stop within seconds
- power supply AC100-240V/50Hz/60Hz
- diameter 150 mm, height 117 mm, weight 0.5 kg
- supplied complete with two rotors:
 - rotor 1 for: 8 microcentrifuge tubes 0.5 ml till 2.0ml
 - rotor 2 for: 16 microcentrifuge tubes 0.2 ml or two pcr strips of 8 tubes 0.2 ml

Product	Quantity per Pack	Order No.
Micro Centrifuge with two rotors	1	71 00 007

* The Polymerase Chain Reaction (PCR) is a patented process by Hoffmann-La Roche.



Cover Films for Micro Test and PCR* Plates



Cover Films

For micro test plates, deep-well blocks, micro test tubes and PCR plates.

- self-adhesive
- for manual operation
- temperature resistant from – 80 to + 120°C**
- adhesive with high solvent resistance, specially resistant against DMSO**
- all films of SBS standard format

1 Polyethylene peeling cover film

- low-cost film for polystyrene plates
- can be removed without any residues
- ideal for the storage of plates at room temperature

2 Aluminum universal cover film

- can be easily removed
- ideal for piercing
- for polystyrene and polypropylene plates
- also for use with micro-racks and critical PCR plates

3 Piercing-foil with cavity circle 96-well

- each cavity is marked by a circle and a numerical printing
- prepierced in each cavity optimizes opening by tip
- self closing film reduces the risk of cross-contamination

4 Gas permeable peeling film

- SBS-Standard
- liquid tight
- high permeability
- for use from -5°C to +60°C

Polypropylen peeling cover film

- can be removed without any residues and repeatedly used
- very suitable for PCR plates
- lower limit for photometer plates 276 nm

Further films on request.

Product	Fig. No.	Material	Packaging	Quantity per Pack	Order No.
polyethylene peeling cover film	1	PE	Pack 1 x 100	100	60 18 610
aluminum universal cover film	2	AL	Pack 1 x 100	100	60 18 611
piercing-foil with cavity circle 96-well	3	PP	Pack 1 x 100	100	60 18 619
gas permeable peeling film	4	PP	Pack 1 x 50	50	60 18 618
polypropylene peeling cover film	-	PP	Pack 1 x 100	100	60 18 612

**New
New**

PE = Polyethylene
AL = Aluminium
PP = Polypropylene

** except order number 60 18 610

* The Polymerase Chain Reaction (PCR) is a patented process by Hoffmann-La Roche.

Cryo



Think! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications



ratiolab® Cryo Boxes, Cardboard, Format 133 x 133 mm

ratiolab® Cryo Boxes, Cardboard, Format 133 x 133 mm

Ultra low temperature-resistant cardboard.


other sizes
available on request

- temperature-resistant down to – 80°C
- available with a water-repellent finish or with a waterproof plastic coating
- highest flexibility: Cryo Boxes can be combined with different Grid Inserts for tubes from dia. 6 mm to dia. 28,5 mm
- the Cryo Boxes can be used for larger vessels if the grid is removed



Color	Quantity per Pack	Height 32 mm Order No.	Height 50 mm Order No.	Height 75 mm Order No.	Height 100 mm Order No.	Height 130 mm Order No.
Water-repellant standard coating						
white	10	51 31 321	51 31 501	51 31 751	51 31 001	51 31 131
blue	10	51 31 322	51 31 502	51 31 752	51 31 002	51 31 132
red	10	51 31 323	51 31 503	51 31 753	51 31 003	51 31 133
green	10	51 31 324	51 31 504	51 31 754	51 31 004	51 31 134
yellow	10	51 31 325	51 31 505	51 31 755	51 31 005	51 31 135
With waterproof plastic coating						
white	10	51 32 321	51 32 501	51 32 751	51 32 001	51 32 131
blue	10	51 32 322	51 32 502	51 32 752	51 32 002	51 32 132
red	10	51 32 323	51 32 503	51 32 753	51 32 003	51 32 133
green	10	51 32 324	51 32 504	51 32 754	51 32 004	51 32 134
yellow	10	51 32 325	51 32 505	51 32 755	51 32 005	51 32 135

ratiolab® Cryo Boxes, Cardboard, Format 133 x 133 mm, Cryo Labels



ratiolab® Grid Inserts for Cryo Boxes, Format 133 x 133 mm

Ultra low temperature-resistant cardboard.

other sizes available on request

- for sample storage
- temperature-resistant down to – 80 °C
- water-repellent finish
- packaging in practical folding boxes

Grid	Quantity per Pack	For Tube Dia. mm	Height of Grids 25 mm Order No.	Height of Grids 30 mm Order No.	Height of Grids 40 mm Order No.	Height of Grids 65 mm Order No.
4 x 4	10	28.0	51 20 214	51 20 215	51 20 216	51 20 217
5 x 5	10	23.0	51 20 124	51 20 125	51 20 126	51 20 127
6 x 6	10	19.0	51 20 134	51 20 135	51 20 136	51 20 137
7 x 7	10	16.0	51 20 144	51 20 145	51 20 146	51 20 147
8 x 8	10	14.0	51 20 154	51 20 155	51 20 156	51 20 157
9 x 9	10	11.5	51 20 165	51 20 166	51 20 167	51 20 168
10 x 10	10	10.5	51 20 175	51 20 174	51 20 176	51 20 177
12 x 12	10	8.5	51 20 185	51 20 184	51 20 186	51 20 187
13 x 13	10	8.0	51 20 194	51 20 195	51 20 196	51 20 197
14 x 14	10	7.0	51 20 204	51 20 205	51 20 206	51 20 207
16 x 16	10	6.0	51 20 225	51 20 226	51 20 227	51 20 228



ratiolab® Cryo Boxes and Grid Inserts, Cardboard, 1/2-Format 130 x 62 mm

Ultra low temperature-resistant cardboard, white.

- for sample storage even at ultra low temperatures
- temperature-resistant down to – 80 °C
- water-repellent finish

Product	Grid	W x D x H mm	For Tube Dia. mm	Quantity per Pack	Order No.
1/2-format Cryo Boxes, cardboard	–	130 x 62 x 50	–	10	51 31 506
1/2-format Grid Inserts	8 x 4	124 x 58 x 30	14.0	10	51 20 218
1/2-format Grid Inserts	10 x 5	124 x 58 x 30	10.5	10	51 20 128



ratiolab® Rainbow Cryo labels

For customizing the white Cryo Boxes, the Rainbow Cryo labels are available in modern colors: red, yellow, green, blue, purple.

- temperature-resistant down to –150 °C
- 50 labels per pack, divided into 5 colors, 10 pieces from each color

Product	L x W mm	Quantity per Pack	Order No.
Rainbow Cryo labels	200 x 40	5 x 10	51 20 002



ratiolab® Cryo Boxes, Cardboard, Format 136 x 136 mm

ratiolab® Cryo Boxes, Cardboard, Format 136 x 136 mm

Ultra low temperature-resistant cardboard.


other sizes
available on request

- for sample storage even at ultra low temperatures
- optional with special water-repellant or waterproof coatings
- temperature resistant down to – 80°C
- highest flexibility: Cryo Boxes can be combined with different Grid Inserts for tubes from dia. 6 mm to dia. 28,5 mm
- the Cryo Boxes can be used for larger vessels if the grid is removed



Color	Quantity per Pack	Height 32 mm Order No.	Height 50 mm Order No.	Height 75 mm Order No.	Height 100 mm Order No.	Height 130 mm Order No.
Water-repellant standard coating						
white	10	51 41 321	51 41 501	51 41 751	51 41 001	51 41 131
blue	10	51 41 322	51 41 502	51 41 752	51 41 002	51 41 132
red	10	51 41 323	51 41 503	51 41 753	51 41 003	51 41 133
green	10	51 41 324	51 41 504	51 41 754	51 41 004	51 41 134
yellow	10	51 41 325	51 41 505	51 41 755	51 41 005	51 41 135
With waterproof plastic coating						
white	10	51 42 321	51 42 501	51 42 751	51 42 001	51 42 131
blue	10	51 42 322	51 42 502	51 42 752	51 42 002	51 42 132
red	10	51 42 323	51 42 503	51 42 753	51 42 003	51 42 133
green	10	51 42 324	51 42 504	51 42 754	51 42 004	51 42 134
yellow	10	51 42 325	51 42 505	51 42 755	51 42 005	51 42 135

ratiolab® Cryo Boxes, Cardboard, Format 136 x 136 mm, ratiolab® Cryo-Code-Card



ratiolab® Grid Inserts for Cryo Boxes, Format 136 x 136 mm

Ultra low temperature-resistant cardboard.

other sizes
available on request

- for sample storage
- temperature-resistant down to – 80°C
- water-repellent finish

Grid	Quantity per Pack	For Tube Dia. mm	Height of Grids 25 mm Order No.	Height of Grids 30 mm Order No.	Height of Grids 40 mm Order No.	Height of Grids 65 mm Order No.
4 x 4	10	28.5	51 20 210	51 20 211	51 20 212	51 20 213
5 x 5	10	23.5	51 20 121	51 20 120	51 20 122	51 20 123
6 x 6	10	19.5	51 20 131	51 20 130	51 20 132	51 20 133
7 x 7	10	16.5	51 20 143	51 20 140	51 20 142	51 20 141
8 x 8	10	14.5	51 20 152	51 20 150	51 20 151	51 20 153
9 x 9	10	12.0	51 20 163	51 20 160	51 20 161	51 20 162
10 x 10	10	11.0	51 20 173	51 20 170	51 20 172	51 20 171
12 x 12	10	9.0	51 20 182	51 20 180	51 20 181	51 20 183
13 x 13	10	8.5	51 20 190	51 20 193	51 20 191	51 20 192
14 x 14	10	7.5	51 20 202	51 20 203	51 20 201	51 20 200
16 x 16	10	6.5	51 20 221	51 20 222	51 20 223	51 20 224



ratiolab® Cryo Boxes and Grid Inserts, Cardboard, 1/2-Format 134 x 67 mm and 1/4-Format 75 x 75 mm

Ultra low temperature-resistant cardboard, white.

- for sample storage even at ultra low temperatures
- temperature-resistant down to – 80°C
- water-repellent finish

Product	Grid	W x D x H mm	For Tube Dia. mm	Quantity per Pack	Order No.
1/2-format Cryo Boxes, cardboard	–	134 x 67 x 50	–	10	51 60 028
1/2-format Grid Inserts	8 x 4	128 x 63 x 30	14.5	10	51 20 219
1/2-format Grid Inserts	10 x 5	128 x 63 x 30	11.0	10	51 60 029
1/4-format Cryo Boxes, cardboard	–	75 x 75 x 50	–	10	51 60 035
1/4-format Grid Inserts	5 x 5	68 x 68 x 30	11.0	10	51 60 036

ratiolab® Cryo-Code-Card

The innovative Cryo-Code-Card (cardboard) marks each position of a cryo-box with a number for identification where the sample is stored.

The Cryo-Code-Card has to be placed on the bottom of a 133 x 133 or 136 x 136 mm cardbox underneath the grid (9 x 9 or 10 x 10).



Product	Positions	Quantity per Pack	Order No.
Cryo-Code-Card 9 x 9	81	10	New 51 20 089
Cryo-Code-Card 10 x 10	100	10	New 51 20 090

ratiolab® Cryo Boxes, Cardboard, Format 148 x 148 x 130 mm

ratiolab® Cryo Boxes, Cardboard, Format 148 x 148 x 130 mm

Ultra low temperature-resistant cardboard.

other sizes
available on request

- for sample storage even at ultra low temperatures
- either with special water-repellant or waterproof coatings
- temperature resistant down to – 80°C
- highest flexibility: Cryo Boxes can be combined with different grid inserts for tubes dia. 17 mm or dia. 30 mm
- the Cryo Boxes can be used for larger vessels if the grid is removed
- suitable for centrifuge tubes: Order No. 33 00 001 till 33 00 006



Color	Grid	For Tubes Ø x H mm	Quantity per Pack		Order No.
Water-repellant standard coating					
white	4 x 4	30 x 115	5	New	51 43 130
white	6 x 6	17 x 120	5	New	51 43 131
With waterproof plastic coating					
white	4 x 4	30 x 115	5	New	51 44 130
white	6 x 6	17 x 120	5	New	51 44 131

ratiolab® Cryo Boxes with Slip Lid, PP, Format 133 x 133 mm



ratiolab® 2-in-1 Cryo Boxes with Slip Lid, PP, Format 133 x 133 mm


High quality polypropylene (PP). Available in natural and other colors.

The specialty: the boxes are adjustable in height. The red cryo box shows the fixed position of 75 mm. The blue cryo box shows the variable lid position (rotated 90 °) with the variable height from 50 mm to 75 mm.

The boxes are available in 6 modern colors, with an numerical coding and corresponding vents for draining condensed water.

The 6 x 6 until 10 x 10 grid accommodates space from 36 to 100 tubes.

- autoclavable, temperature-resistant from –90 °C to + 121 °C
- grids are available: 6 x 6, 7 x 7, 8 x 8, 9 x 9, 10 x 10
- numerically coded




	Grid For tube Dia.	6 x 6 19.0 mm	7 x 7 17.0 mm	8 x 8 15.0 mm	9 x 9 13.0 mm	10 x 10 11.5 mm
Color	Quantity per Pack	Order No.	Order No.	Order No.	Order No.	Order No.
natural	5	53 20 410	53 20 310	53 20 210	53 20 010	53 20 110
yellow	5	53 20 411	53 20 311	53 20 211	53 20 011	53 20 111
red	5	53 20 412	53 20 312	53 20 212	53 20 012	53 20 112
green	5	53 20 413	53 20 313	53 20 213	53 20 013	53 20 113
blue	5	53 20 414	53 20 314	53 20 214	53 20 014	53 20 114
black	5	53 20 415	53 20 315	53 20 215	53 20 015	53 20 115
mixed	5	53 20 416	53 20 316	53 20 216	53 20 016	53 20 116


ratiolab® Cryo Boxes with Grids, PP, Format 133 x 133 mm

ratiolab® Cryo Boxes with Grids, PP, Format 133 x 133 mm

High quality polypropylene. Available in natural and other colors.



- autoclavable, temperature-resistant from -90°C to $+121^{\circ}\text{C}$
- 81 places, 9 x 9 grid, numerically coded
- robust hinge with safe snap-on lid
- stackable for safe transport
- drain bores at the bottom for dew liquids
- removable grid inserts
- Cryo Boxes can also be used for larger vessels by removing the grid inserts



Product	W x D x H mm	For Tube Dia. mm	Grid	Quantity per Pack	Order No.
for Cryo Tubes 1.2 – 2 ml					
natural	133 x 133 x 52	12.8	9 x 9	5	51 20 010
yellow	133 x 133 x 52	12.8	9 x 9	5	51 20 011
red	133 x 133 x 52	12.8	9 x 9	5	51 20 012
green	133 x 133 x 52	12.8	9 x 9	5	51 20 013
blue	133 x 133 x 52	12.8	9 x 9	5	51 20 014
black	133 x 133 x 52	12.8	9 x 9	5	51 20 015
for Cryo Tubes 3 – 4 ml					
natural	133 x 133 x 75	12.8	9 x 9	5	51 20 020
yellow	133 x 133 x 75	12.8	9 x 9	5	51 20 021
red	133 x 133 x 75	12.8	9 x 9	5	51 20 022
green	133 x 133 x 75	12.8	9 x 9	5	51 20 023
blue	133 x 133 x 75	12.8	9 x 9	5	51 20 024
black	133 x 133 x 75	12.8	9 x 9	5	51 20 025

ratiolab® Cryo Boxes and Grid Inserts, PP, Format 133 x 133 mm

ratiolab® Cryo Boxes and Grid Inserts, PP, Format 133 x 133 mm

These ratiolab® Cryo Boxes are particularly practical and flexible due to their removable inserts. The boxes themselves are made of high quality polypropylene in natural or other colors. They are available with heights of 52 or 75 mm.

The separate naturally-colored inserts are available in five sizes and can thus be used with sample vessels of differing diameters. The inserts fit all ratiolab® Cryo Boxes. Cleaning of the boxes and the inserts is much simpler than with Cryo Boxes with permanently fitted inserts.

- autoclavable, temperature-resistant from – 90 °C to + 121 °C
- robust hinge with safe snap-on lid
- stackable for safe transport
- drain bores at the bottom for dew liquids
- Cryo Boxes can also be used for larger vessels by removing the grid inserts



Product	W x D x H mm	For Tube Dia. mm	Quantity per Pack	Order No.
Cryo Boxes without Grid Insert				
natural	133 x 133 x 52		5	52 20 010
yellow	133 x 133 x 52		5	52 20 011
red	133 x 133 x 52		5	52 20 012
green	133 x 133 x 52		5	52 20 013
blue	133 x 133 x 52		5	52 20 014
black	133 x 133 x 52		5	52 20 015
natural	133 x 133 x 75		5	52 20 020
yellow	133 x 133 x 75		5	52 20 021
red	133 x 133 x 75		5	52 20 022
green	133 x 133 x 75		5	52 20 023
blue	133 x 133 x 75		5	52 20 024
black	133 x 133 x 75		5	52 20 025
Grid Inserts				
6 x 6	133 x 133 x 30	20.5	5	52 20 100
7 x 7	133 x 133 x 30	17.3	5	52 20 101
8 x 8	133 x 133 x 30	15.8	5	52 20 102
9 x 9	133 x 133 x 30	12.8	5	52 20 103
10 x 10	133 x 133 x 30	11.2	5	52 20 104

ratiolab® Cryo Boxes with Grids, PC, Format 132 x 132 mm

ratiolab® Cryo Boxes with Grids, PC, Format 132 x 132 mm

Made of high quality colored polycarbonate (PC).
For use with liquid nitrogen.

- autoclavable, temperature-resistant from – 190 °C to + 121 °C
- 81 or 100 places, 9 x 9 resp. 10 x 10 grids
- 1/4-format with 25 places, 5 x 5 grid
- numerically coded
- stackable for safe transport
- drain bores at the bottom for dew liquids
- Cryo Boxes can also be used for larger vessels by removing the grid inserts





Color	Fig No.	W x D x H mm	Grid	Quantity per Pack	Order No.
for Cryo Tubes 1.2 – 2 ml					
blue	1	132 x 132 x 52	9x9	5	51 50 001
green	1	132 x 132 x 52	9x9	5	51 50 002
red	1	132 x 132 x 52	9x9	5	51 50 003
yellow	1	132 x 132 x 52	9x9	5	51 50 004

for Cryo Tubes 1.2 – 2 ml					
blue	2	132 x 132 x 52	10x10	5	51 50 011
green	2	132 x 132 x 52	10x10	5	51 50 012
red	2	132 x 132 x 52	10x10	5	51 50 013
yellow	2	132 x 132 x 52	10x10	5	51 50 014
white	2	132 x 132 x 52	10x10	5	51 50 015

for Cryo Tubes 3 – 5 ml					
blue	3	132 x 132 x 94	9x9	4	51 50 021
green	3	132 x 132 x 94	9x9	4	51 50 022
red	3	132 x 132 x 94	9x9	4	51 50 023
yellow	3	132 x 132 x 94	9x9	4	51 50 024

1/4-format, for Cryo Tubes					
blue	4	76 x 76 x 52	5x5	8	51 50 031
green	4	76 x 76 x 52	5x5	8	51 50 032
red	4	76 x 76 x 52	5x5	8	51 50 033
yellow	4	76 x 76 x 52	5x5	8	51 50 034



ratiolab® Cryo Boxes with 2D Barcode and Grids, PC, Format 132 x 132 mm



ratiolab® Cryo Boxes with 2D Barcode and Grids, PC, Format 132 x 132 mm

Made of high quality colored polycarbonate (PC).
For use with liquid nitrogen.

- to store the Cryo-Tubes 2D
- automatic identification of each box and its positioning through:
 - Laser engraved Code 128 on the side of the lower part of the rack
 - 2D datamatrix code, on the bottom of the box
- each pack of boxes is supplied with a vial picker
- autoclavable, temperature-resistant from -190°C to $+121^{\circ}\text{C}$
- 81 or 100 places, 9 x 9 resp. 10 x 10 grids
- numerically coded
- stackable for safe transport
- scanner and software on request

Color	W x D x H mm	Grid	Quantity per Pack	Order No.
for Cryo Tubes 1.2 – 2 ml				
blue	132 x 132 x 52	9 x 9	5	New 51 50 051
green	132 x 132 x 52	9 x 9	5	New 51 50 052
red	132 x 132 x 52	9 x 9	5	New 51 50 053
yellow	132 x 132 x 52	9 x 9	5	New 51 50 054
white	132 x 132 x 52	10 x 10	5	New 51 50 055
for Cryo Tubes 3 – 5 ml				
blue	132 x 132 x 94	9 x 9	5	New 51 50 061
green	132 x 132 x 94	9 x 9	5	New 51 50 062
red	132 x 132 x 94	9 x 9	5	New 51 50 063
yellow	132 x 132 x 94	9 x 9	5	New 51 50 064
white	132 x 132 x 94	10 x 10	5	New 51 50 065

Cryo Tubes with 2D Barcode

Cryo Tubes with 2D Barcode

Polypropylene with highest translucence. For the storing and conservation of tissue cultures and biological samples e.g. sera, blood and spermata. For applications to -190°C in the gaseous phase of liquid nitrogen or in freezers. The tubes are produced in a class 7 clean room (class 10000) according to DIN ISO 13485:2004, ISO 14644 and 14698 (Federal Standard 209).

- sterilized by beta-radiation according to EN ISO 11137
- non-cytotoxic
- non-haemolytic
- free of human DNA
- free of PCR inhibitors
- lid with integrated sealing function; no additional silicone O-ring
- internal conical bottom for complete emptying

- white graduations for precise measurement
- white lettering for sample identification
- available with internal or external threads
- equipped with base for using with one hand
- packaged in PE bags of 50 tubes in boxes
- cap design for automatic decapper
- Datamatrix Code inserted in the bottom, sequential and corresponding to the Code "128" printed into two reading directions on the tube body
- Code 128 readable by most common readers
- scanner and software on request
- suitable working stations see on page 78
- suitable cryo-boxes see on page 66-75

CE IVD



Volume ml	Description	Ø x Height mm	Packaging	Quantity per Pack	Order No.
Cryo Tubes with Male Thread					
2.0	self standing	12.3 x 47	10 x 50	500	New 51 10 121
5.0	self standing	12.3 x 90	10 x 50	500	New 51 10 151
Cryo Tubes with Female Thread					
2.0	self standing	12.3 x 47	10 x 50	500	New 51 10 021
5.0	self standing	12.3 x 90	10 x 50	500	New 51 10 053

Cryo Tubes

Cryo Tubes

Polypropylene with highest translucence. For the storing and conservation of tissue cultures and biological samples e.g. sera, blood and spermata. For applications to – 190 °C in the gaseous phase of liquid nitrogen or in freezers. The tubes are produced in a class 7 clean room (class 10000) according to DIN ISO 13485:2004, ISO 14644 and 14698 (Federal Standard 209).

- sterilized by beta-radiation according to EN ISO 11137
- lid with integrated sealing function; no additional silicone O-ring

- internal conical bottom for complete emptying
 - white graduations for precise measurement
 - white lettering for sample identification
 - available with internal or external threads
 - equipped with base for using with one hand
 - 2.0 ml, 4.0 ml and 5.0 ml tubes available also with round bottom
 - packaged in PE bags of 50 tubes in boxes
- suitable working stations see on page 78
 - suitable cryo-boxes see on page 66-75

CE IVD

free of DNA, DNase,
pyrogens and ATP



Volume ml	Description	Ø x Height mm	Packaging	Quantity per Pack	Order No.
Cryo Tubes with Male Thread					
1.2	self standing	12.3 x 41	20 x 50	1000	51 10 112
2.0	round base	12.3 x 46	20 x 50	1000	51 10 120
2.0	self standing	12.3 x 47	20 x 50	1000	51 10 122
3.0	self standing	12.3 x 71	20 x 50	1000	51 10 130
4.0	self standing	12.3 x 75	20 x 50	1000	51 10 140
5.0	self standing	12.3 x 90	20 x 50	1000	51 10 150
Cryo Tubes with Female Thread					
1.2	self standing	12.3 x 43	20 x 50	1000	51 10 013
2.0	round base	12.3 x 47	20 x 50	1000	51 10 025
2.0	self standing	12.3 x 48	20 x 50	1000	51 10 024
4.0	self standing	12.3 x 76	20 x 50	1000	51 10 041
4.0	round base	12.3 x 75	20 x 50	1000	51 10 042
5.0	self standing	12.3 x 91	20 x 50	1000	51 10 051
5.0	round base	12.3 x 90	20 x 50	1000	51 10 052


Cryo Tubes Accessories



Color Coding Cap Inserts for Cryo Tubes

Polypropylene. For cryo tubes 1.2 to 5.0 ml.
Packed in PE-bags with 1000 pcs.

Color	Quantity per Pack	Order No.
white	1000	51 10 001
red	1000	51 10 002
blue	1000	51 10 003
green	1000	51 10 004
yellow	1000	51 10 005



Work Stations for 40 Cryo Tubes

High quality polypropylene.

For 40 Cryo Tubes 1.2 to 5 ml with 12.5 mm outer diameter. Cryo Tubes with self standing base are automatically locked in the Work Station and can easily be screwed and unscrewed with one hand.

- with non-slip feet, the Work Stations stand safely on laboratory benches
- autoclavable
- size (W x L x H) 100 x 220 x 30 mm



Color	Quantity per Pack	Order No.
green	5	53 00 400
red	5	53 00 200
blue	5	53 00 100

Cryo Racks for Freezer Chests

Cryo Racks, stainless steel

For the storing of Cryo Boxes in freezer chests.
Stainless steel.

- surfaces for perfect cleaning
- robust construction
- handles for convenient transport
- Cryo Racks can be supplied with shelf sizes for any standard Cryo Boxes
- for all Cryo Boxes format 130 x 130; 133 x 133 and 136 x 136 mm

Cryo Rack standard sizes are listed in the tables below:

customized racks
on request



Number of Shelves horizontal x vertical	Rack Size W x D x H mm	for Cryo Boxes Height			Quantity per Pack	Order No.
		32 mm	50 mm	75 mm		
Cryo Racks for Freezer Chests						
1 x 4	140 x 140 x 222	–	■	–	1	54 00 041
1 x 6	140 x 140 x 482	–	–	■	1	54 00 028
1 x 7	140 x 140 x 385	–	■	–	1	54 00 042
1 x 7	140 x 140 x 561	–	–	■	1	54 00 029
1 x 8	140 x 140 x 441	–	■	–	1	54 00 027
1 x 8	140 x 140 x 641	–	–	■	1	54 00 030
1 x 9	140 x 140 x 495	–	■	–	1	54 00 026
1 x 9	140 x 140 x 720	–	–	■	1	54 00 031
1 x 10	140 x 140 x 550	–	■	–	1	54 00 000
1 x 11	140 x 140 x 406	■	–	–	1	54 00 032
1 x 11	140 x 140 x 604	–	■	–	1	54 00 023
1 x 12	140 x 140 x 443	■	–	–	1	54 00 033
1 x 12	140 x 140 x 659	–	■	–	1	54 00 025
1 x 13	140 x 140 x 479	■	–	–	1	54 00 034
1 x 13	140 x 140 x 713	–	■	–	1	54 00 001
1 x 14	140 x 140 x 516	■	–	–	1	54 00 035
1 x 15	140 x 140 x 552	■	–	–	1	54 00 036
1 x 16	140 x 140 x 589	■	–	–	1	54 00 037
1 x 17	140 x 140 x 625	■	–	–	1	54 00 038
1 x 18	140 x 140 x 662	■	–	–	1	54 00 024

Cryo Racks for Freezer Cabinets



Cryo Racks, stainless steel

For the storing of Cryo Boxes in freezer cabinets and chests.
Stainless steel.

- surfaces for perfect cleaning
- robust construction
- handles for convenient transport
- Cryo Racks can be supplied with shelf sizes for any standard Cryo Boxes
- for all Cryo Boxes format 130 x 130; 133 x 133 and 136 x 136 mm

Cryo Rack standard sizes are listed in the tables below:

customized racks
on request

Number of Shelves horizontal x vertical	Rack Size W x D x H mm	for Cryo Boxes Height			Quantity per Pack	Order No.
		50 mm	75 mm	100 mm		
Cryo Racks for Freezer Cabinets						
3 x 3	424 x 140 x 165	■	–	–	1	54 00 007
3 x 4	424 x 140 x 219	■	–	–	1	54 00 009
3 x 5	424 x 140 x 274	■	–	–	1	54 00 022
4 x 2	566 x 140 x 164	–	■	–	1	54 00 011
4 x 3	566 x 140 x 240	–	■	–	1	54 00 006
4 x 3	566 x 140 x 314	–	–	■	1	54 00 040
4 x 4	566 x 140 x 219	■	–	–	1	54 00 004
4 x 4	566 x 140 x 319	–	■	–	1	54 00 005
4 x 5	566 x 140 x 274	■	–	–	1	54 00 003
4 x 6	566 x 140 x 328	■	–	–	1	54 00 002

Cryo Racks for Freezer Cabinets

Stainless steel slide-in units

For the storing of Cryo Boxes.
Stainless steel.


- cabinet slide-ins without pull-out stop
- easy-to-clean polished surface
- robust design
- for all Cryo Boxes format 130 x 130; 133 x 133 and 136 x 136 mm

Cryo Rack standard sizes are listed in the tables below:

other sizes
available on request

Number of Shelves horizontal x vertical	Rack Size W x D x H mm	for Cryo Boxes Height		Quantity per Pack	Order No.
		50 mm	75 mm		
Cryo Racks for Freezer Cabinets					
4 x 4	556 x 141 x 225	■	–	1	54 00 046
5 x 4	556 x 141 x 280	■	–	1	54 00 045
6 x 4	556 x 141 x 335	■	–	1	54 00 047
3 x 4	556 x 141 x 250	–	■	1	54 00 019
4 x 4	556 x 141 x 335	–	■	1	54 00 066

Cryo Racks for Freezer Cabinets and Freezer Chests



Cryo Racks, aluminium

For the storing of Cryo Boxes in freezer chests.
Made of aluminium.

The high quality Ratiolab Aluminium racks show a reduction of 30% in weight, in comparison to a similiary stainless steele rack. This makes the handling of the aluminium racks, especially in chest freezers, more convinient for the user. Fast adaption to the ambient temperature is based on a modern design. Fine welding technology guarantees a robust construction.

- light weight
- with handels
- can be supplied with any shelf hight on request
- for all Cryo Boxes format 130 x 130; 133 x 133 and 136 x 136 mm

Cryo Rack standard sizes are listed in the tables below:

other sizes
available on request

Number of Shelves horizontal x vertical	Rack Size W x D x H mm	for Cryo Boxes Height 50 mm	Quantity per Pack	Order No.
Cryo Racks for Freezer Chests*				
1 x 10	140 x 140 x 550	■	1	New 54 01 000
Cryo Racks for Freezer Cabinets*				
4 x 6	566 x 140 x 328	■	1	New 54 01 002
4 x 5	566 x 140 x 274	■	1	New 54 01 003

*Customized Cryo Racks are available on request for each freezer, and of course the associated storage box.

Cryo Racks in special dimensions and design



1


Cryo-racks in special dimensions and design

Being specialized in design, construction and production of storage and cryo-racks we are proud to offer you our service. Provide us with the dimensions you request and our CAD-team will create the design for you.

Those products are in example:

- Blood bag canisters for storage of blood bags in ultra freezers (see fig.1)

other sizes
available on request



2

- Blood bag frames for blood bag canisters in ultra freezers (see fig 2)



3

- Spring clip holder keeps cryo boxes at their compartment (see fig 3)

Please send your request directly to our mailaccount tech@ratiolab.com or contact us by phone.

Technical information



Think! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications

Chemical resistance of plastics

The plastics used are classified as follows with respect to chemical resistance:

+ Excellent chemical resistance

Constant contact with medium gives rise to no damage to the plastic within 30 days. The plastic can, however, remain resistant over a number of years.

0 Partial to good chemical resistance

Constant contact with the medium gives rise to minor damage within a period of 7-30 days; such damage is in fact partially reversible (e.g. swelling, softening, less mechanical firmness, discoloration).

— Low chemical resistance

Not suitable for constant contact with medium. Damage may occur immediately (e.g. less mechanical firmness, deformation, discoloration, cracks, dissolution).

Chemical resistance of plastics with groups of substances at 20 °C	PP	PS	PE-HD	PE-LD
Alcohols, aliphatic	+	+	+	+
Ether	0	—	0	0
Aldehydes	+	—	+	0
Ester	0	—	0	0
Hydrocarbons, aliphatic	+	—	+	0
Hydrocarbons, aromatic	0	—	+	0
Hydrocarbons, halogenated	0	—	0	0
Ketones	0	—	0	0
Alkalis	+	+	+	+
Acids, strong or concentrated	+	0	+	+
Acids, weak or diluted	+	0	+	+
Oxidizing acids, oxidizing agents	—	—	—	—

These carefully selected recommendations from the literature or from manufacturers are intended to inform and guide. However, the user is obliged to check suitability for the applications intended.

Chemical	PP		PS		PE-HD		PE-LD	
	20 °C	50 °C	20 °C	50 °C	20 °C	50 °C	20 °C	50 °C
Acetaldehyde	+	—	—	—	+	0	+	—
Acetic acid (glacial), 100 %	+	0	—	—	+	+	+	0
Acetic acid, 96 %	+	+	0	0	+	+	+	+
Acetic anhydride	0	0	—	—	0	0	—	—
Acetone	+	+	—	—	+	+	+	0
Acetonitrile	+	0	—	—	+	0	+	0
Acetophenone	0	0	—	—	0	0	—	—
Acetylacetone	+	—	—	—	+	—	+	—
Acetylchloride	+	—	—	—	+	—	+	—
Acrylic acid	+	—	—	—	+	—	+	—
Acrylonitrile	0	—	—	—	+	+	+	+
Adipic acid	+	+	+	+	+	+	+	+
Allyl alcohol	+	+	+	0	+	+	+	+
Aluminum chloride	+	+	+	+	+	+	+	+
Aluminum hydroxide	+	+	0	0	+	+	+	+
Amino acids	+	+	+	+	+	+	+	+
Ammonium chloride	+	+	+	+	+	+	+	+
Ammonium fluoride	+	+	+	+	+	+	+	+
Ammonium hydroxide, 30 % (Ammonia)	+	+	0	—	+	+	+	+
Ammonium sulfate	+	+	+	+	+	+	+	+
n-Amyl acetate	0	—	—	—	+	0	0	—
Amyl alcohol (Pentanol)	+	+	0	0	+	+	+	+
Amyl chloride (Chloropentane)	—	—	—	—	—	—	—	—

Chemical resistance of plastics

Chemical	PP		PS		PE-HD		PE-LD	
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C
Aniline	+	+	-	-	+	+	+	0
Barium chloride	+	+	+	+	+	+	+	+
Benzaldehyde	+	+	-	-	+	+	+	+
Benzene (Benzol)	+	0	-	-	+	+	0	-
Benzine (Gasoline)	0	0	-	-	+	+	0	-
Benzoyl chloride	+	0	-	-	+	+	0	-
Benzyl alcohol	0	-	-	-	0	-	0	-
Benzylamine	0		-	-	0		0	-
Benzylchloride			-	-				
Boric acid, 10 %	+	+	+	+	+	+	+	+
Bromine	-	-	-	-	-	-	-	-
Bromobenzene	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-
Bromonaphthalene			-	-				
Butanediol	+	+	-	-	+	+	+	+
1-Butanol	+	+	0	-	+	+	+	+
Butylamine			-	-				
n-Butyl acetate	0	0	-	-	+	+	0	0
Butyl methyl ether	+	0	-	-	0	-	0	-
Butyric acid	-	-	-	-	0	-	-	-
Calcium carbonate	+	+	+	+	+	+	+	+
Calcium chloride	+	+	+	+	+	+	+	+
Calcium hydroxide	+	+	+	0	+	+	+	+
Calcium hypochlorite	+	+	+	+	+	+	+	+
Calomel	+	+	+	0	+	+	+	+
Carbon disulfide	-	-	-	-	-	-	-	-
Carbon tetrachloride	-	-	-	-	0	-	-	-
Chloro naphthalene								
Chloroacetaldehyde, 45 %			-	-				
Chloroacetic acid	+	+	-	-	+	+	+	+
Chloroacetone			-	-				
Chlorobenzene	0	-	-	-	-	-	-	-
Chlorobutane	0	-	-	-	0	-	0	-
Chloroform	-	-	-	-	+	0	-	-
Chlorosulfonic acid								
Chromic acid, 10 %	+	+	-	-	+	+	+	+
Chromic acid, 50 %	0	0	-	-	+	0	+	0
Chromosulfuric acid	-	-	0	0	+	-	+	-
Copper sulfate	+	+	+	+	+	+	+	+
Cresol	0	0	-	-	0	-	-	-
Cumene (isopropyl benzene)	0	-	-	-	+	0	0	-
Cyclohexane	0	-	-	-	0	-	0	-
Cyclohexanone	0	-	-	-	0	-	-	-
Cyclopentane	0	-	-	-	0	-	-	-
Decane	0				0	-		
1-Decanol	+		0		+			
Dibenzylether	+		-	-	+			
Dibromoethane								
Dibutyl phthalate	+	0	-	-	0	-	0	-
Dichloroacetic acid	0	-	0	-	0	0	0	-
Dichlorobenzene	0	-	-	-	0	-	0	-
Dichloroethane	0	-			0	-	0	-
Dichloromethane	0	-	-	-	0	-	0	-
Diesel oil (Heating oil)	+	0	-	-	+	0	0	-
Diethanolamine	0		-	-	0			
1.2 Diethylbenzene	-	-	-	-	0	-	-	-

Chemical resistance of plastics

Chemical	PP		PS		PE-HD		PE-LD	
	20 °C	50 °C	20 °C	50 °C	20 °C	50 °C	20 °C	50 °C
Diethylether	0	-	-	-	0	-	-	-
Diethylamine	0	-	0	0	0	-	-	-
Diethylene glycol	+	+	0	-	+	+	+	+
Dimethyl sulfoxide (DMSO)	+	+	-	-	+	+	+	+
Dimethylaniline			-	-				
Dimethylformamide (DMF)	+	+	-	-	+	+	+	+
1.4 Dioxane	+	0	-	-	+	+	+	0
Diphenyl ether			-	-				
Ethanol	+	+	-	-	+	+	+	+
Ethanolamine	+							
Ethyl acetate	+	0	-	-	+	+	+	+
Ethyl methyl ketone	+	0	-	-	0	-	0	-
Ethylbenzene	-	-	-	-	-	-	-	-
Ethylene glycol (glycol)	+	+	+	+	+	+	+	+
Ethylene oxide	0	-	-	-	0	0	0	0
Fluoroacetic acid			-	-				
Formaldehyde, 40 %	+	+	-	-	+	+	+	+
Formamide	+	+			+	+	+	+
Formic acid, 100 %	+	+	+	0	+	+	+	+
Glycerol	+	+	+	+	+	+	+	+
Glycolic acid, 50 %	+	+			+	+	+	+
Heating oil (Diesel oil)	+	0	-	-	+	0	0	-
Heptane	0	0	-	-	0	0	0	-
Hexane	+	0	0	-	+	0	0	-
Hexanoic acid								
Hexanol	+	+			+	+	+	+
Hydriodic acid	+	+			+	+	+	+
Hydrobromic acid	+	+	0	-	+	+	+	+
Hydrochloric acid, 10 %	+	+	+	+	+	+	+	+
Hydrochloric acid, 20 %	+	+	+	+	+	+	+	+
Hydrochloric acid, 37 %	+	+	0	0	+	+	+	+
Hydrofluoric acid, 40 %	+	+	+	+	+	+	+	+
Hydrofluoric acid, 70 %	+	0	-	-	+	0	+	-
Hydrogen peroxide, 35 %	+	+	+	+	+	+	+	+
Isoamyl alcohol	+	+			+	+	+	+
Isobutanol	+	+	0	0	+	+	+	+
Isooctane			0					
Isopropanol (2-propanol)	+	+	0	0	+	+	+	+
Isopropyl ether	-	-	-	-	-	-	-	-
Lactic acid	+	+	+	+	+	+	+	+
Lugol's solution (iodine-potassium iodide solution)	+	+	0	-	-	-	-	-
Mercury	+	+	+	+	+	+	+	+
Methanol	+	+	0	-	+	+	+	0
Methoxybenzene			-	-				
Methyl formate			-	-				
Methyl propyl ketone	+	0	-	-	+	+	+	0
Methylene chloride	0	-	-	-	0	-	0	-
Mineral oil (engine oil)	+	+	+		+	+	+	0
Monochloroacetic acid	+	+	-	-	+	+	+	+
Nitric acid, 10 %	+	+	-	-	+	+	+	+
Nitric acid, 30 %	0	-	-	-	0	-	0	0
Nitric acid, 70 %	-	-	-	-	-	-	-	-
Nitrobenzene	-	-	-	-	0	-	-	-
Nitrohydrochloric acid	0	-	0	-	-	-	-	-
Oleic acid			-	-				
Oxalic acid	+	+	+	+	+	+	+	+

Chemical resistance of plastics

Chemical	PP		PS		PE-HD		PE-LD	
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C
Ozone	0	-	0	0	0	-	0	-
n-Pentane								
Peracetic acid								
Perchloric acid	+	-	-	-	+	-	+	-
Perchloroethylene	-	-	-	-	-	-	-	-
Petroleum	0	-	-	-	0	-	0	-
Petroleum ether			-	-			0	
Phenol	+	+	-	-	+	+	+	0
Phenylethanol	0				0			
Phenylhydrazine	0				0			
Phosphoric acid, 85 %	+	+	+	0	+	+	+	+
Piperidine	+				+			
Potassium chloride	+	+	0	0	+	+	+	+
Potassium dichromate								
Potassium hydroxide	+	+	0	0	+	+	+	+
Potassium permanganate	+	+	+	+	+	+	+	+
Propanol	+	+	0		+	+	+	+
Propionic acid	+	0	0	-	+	0	0	-
Propylene glycol (propanediol)	+	+	+	+	+	+	+	+
Pyridine	0	0	-	-	+	0	+	0
Salicylaldehyde	+	+	-	-	+	+	+	+
Salicylic acid	+	+	+	+	+	+	+	+
Silver acetate	+	+	0	0	+	+	+	+
Silver nitrate	+	+	0	0	+	+	+	+
Sodium acetate	+	+	+	+	+	+	+	+
Sodium chloride	+	+	+	+	+	+	+	+
Sodium dichromate	+	+	+	0	+	+	+	+
Sodium fluoride	+	+	+	+	+	+	+	+
Sodium hydroxide, 30 %	+	+	+	+	+	+	+	+
Sulfuric acid, 60 %	+	+	-	-	+	+	+	+
Sulfuric acid, 98 %	-	-	-	-	0	-	0	-
Tartaric acid	+	+	+	+	+	+	+	+
Tetrachloroethylene								
Tetrahydrofuran (THF)	0	-	-	-	0	-	0	-
Tetramethylammonium hydroxide								
Toluene	0	-	-	-	0	0	0	-
Trichloroacetic acid	0	-	0	-	0	0	0	-
Trichlorobenzene	-	-	-	-	-	-	-	-
Trichloroethane	-	-	-	-	0	-	-	-
Trichloroethylene	-	-	-	-	0	-	-	-
Trichlorotrifluoroethane			-	-				
Triethanolamine			-	-				
Triethylene glycol	+	+	+	0	+	+	+	+
Trifluoroacetic acid (TFA)			-	-				
Trifluoro ethane			-	-				
Tripropylene glycol	+	+	+	+	+	+	+	+
Turpentine	-	-	-	-	0	-	0	-
Urea	+	+	+	+	+	+	+	+
Xylene	-	-	-	-	0	-	0	-
Zinc chloride, 10 %	+	+	+	+	+	+	+	+
Zinc sulfate, 10 %	+	+	+	+	+	+	+	+

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, not the suitability of the products for a specific purpose.

Index

Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page
10 20 230	51	25 00 140	23	29 00 101	30	32 00 311	27	51 10 013	77	51 20 151	69
10 20 231	51	25 00 150	23	29 00 102	30	32 00 312	27	51 10 021	76	51 20 152	69
10 20 240	51	25 00 160	22	29 00 103	30	33 00 001	41	51 10 024	77	51 20 153	69
10 20 241	51	25 00 163	22	29 00 104	30	33 00 002	41	51 10 025	77	51 20 154	67
10 20 242	51	25 00 170	22	29 00 105	30	33 00 003	41	51 10 041	77	51 20 155	67
10 20 243	51	25 00 180	24	29 00 106	30	33 00 004	41	51 10 042	77	51 20 156	67
10 20 250	51	25 00 190	22	29 00 107	30	33 00 005	41	51 10 051	77	51 20 157	67
10 20 251	51	25 13 162	22	29 00 109	30	33 00 006	41	51 10 052	77	51 20 160	69
10 20 260	51	25 13 163	22	29 00 201	31	35 14 030	40	51 10 053	76	51 20 161	69
10 20 261	51	25 13 172	22	29 00 202	31	35 14 031	40	51 10 112	77	51 20 162	69
10 20 330	51	25 13 192	22	29 00 203	31	35 14 032	40	51 10 120	77	51 20 163	69
10 20 331	51	25 13 502	22	29 00 204	31	35 14 033	40	51 10 121	76	51 20 165	67
10 20 340	51	25 30 162	22	29 00 205	31	35 14 040	40	51 10 122	77	51 20 166	67
10 20 341	51	25 30 163	22	29 00 206	31	35 14 900	40	51 10 130	77	51 20 167	67
10 20 350	51	25 30 172	22	29 00 207	31	35 14 90B	40	51 10 140	77	51 20 168	67
10 20 351	51	25 30 173	22	29 00 209	31	35 14 90G	40	51 10 150	77	51 20 170	69
10 20 540	51	25 30 192	22	29 10 101	30	35 14 90R	40	51 10 151	76	51 20 171	69
10 20 541	51	25 53 162	22	29 10 102	30	35 14 90Y	40	51 20 002	67	51 20 172	69
17 70 010	25	25 53 163	22	29 10 103	30	35 20 000	40	51 20 010	72	51 20 173	69
17 70 020	25	25 53 172	22	29 10 104	30	36 22 000	40	51 20 011	72	51 20 174	67
17 70 100	25	25 53 192	22	29 10 105	30	37 12 005	44	51 20 012	72	51 20 175	67
17 70 200	25	25 53 502	22	29 10 106	30	37 12 006	44	51 20 013	72	51 20 176	67
17 71 000	25	26 00 111	29	29 10 107	30	37 12 007	44	51 20 014	72	51 20 177	67
17 71 000xl	25	26 00 119	28	29 10 109	30	37 12 008	44	51 20 015	72	51 20 180	69
21 00 500	22	26 00 120	29	29 10 201	31	37 12 009	44	51 20 020	72	51 20 181	69
21 00 553	23	26 00 131	29	29 10 202	31	37 12 101	44	51 20 021	72	51 20 182	69
21 00 555	23	26 00 135	29	29 10 203	31	37 14 010	40	51 20 022	72	51 20 183	69
21 00 600	22	26 00 145	28	29 10 204	31	37 14 020	40	51 20 023	72	51 20 184	67
21 00 610	23	26 00 151	29	29 10 205	31	37 14 040	40	51 20 024	72	51 20 185	67
21 13 602	22	26 00 155	28	29 10 206	31	38 14 010	40	51 20 025	72	51 20 186	67
21 13 612	23	26 00 160	28	29 10 207	31	38 14 020	41	51 20 089	69	51 20 187	67
21 30 602	22	26 00 171	28	29 10 209	31	39 14 900	40	51 20 090	69	51 20 190	69
21 30 612	23	26 00 181	28	29 80 200	30	39 14 90B	40	51 20 120	69	51 20 191	69
21 53 602	22	26 00 190	29	30 14 030	40	39 14 90G	40	51 20 121	69	51 20 192	69
21 53 612	23	26 00 195	29	31 01 011	26	39 14 90R	40	51 20 122	69	51 20 193	69
24 00 600	22	26 00 206	29	31 01 012	26	39 14 90Y	40	51 20 123	69	51 20 194	67
24 00 610	23	26 00 216	29	31 02 011	26	47 50 002	31	51 20 124	67	51 20 195	67
24 00 620	24	26 00 220	28	31 02 012	26	47 50 003	31	51 20 125	67	51 20 196	67
24 00 622	24	26 00 260	28	31 05 011	26	47 50 004	31	51 20 126	67	51 20 197	67
24 00 623	24	26 55 111	29	31 05 013	26	47 50 005	31	51 20 127	67	51 20 200	69
24 00 624	24	26 55 120	29	31 05 014	26	47 80 010	17	51 20 128	67	51 20 201	69
24 00 630	24	26 55 135	29	31 05 114	26	47 80 012	17	51 20 130	69	51 20 202	69
24 00 640	24	26 55 151	29	31 10 011	26	47 80 018	17	51 20 131	69	51 20 203	69
24 00 642	24	26 55 171	28	31 10 013	26	47 80 020	17	51 20 132	69	51 20 204	67
24 00 650	24	26 55 181	28	31 10 014	26	47 80 025	17	51 20 133	69	51 20 205	67
24 10 620	24	26 55 206	29	31 10 114	26	47 80 058	17	51 20 134	67	51 20 206	67
24 10 630	24	26 56 111	29	31 25 011	26	47 80 100	17	51 20 135	67	51 20 207	67
24 10 640	24	26 56 135	29	31 50 011	26	47 80 200	17	51 20 136	67	51 20 210	69
24 10 650	24	26 56 171	28	31 70 200	33	47 80 308	17	51 20 137	67	51 20 211	69
24 13 602	22	27 11 110	36	31 70 305	33	47 81 000	17	51 20 140	69	51 20 212	69
24 13 612	23	27 12 120	36	31 70 385	33	47 85 000	17	51 20 141	69	51 20 213	69
24 30 602	22	27 22 110	37	31 70 485	33	47 90 052	17	51 20 142	69	51 20 214	67
24 30 612	23	27 22 120	37	32 00 300	27	47 90 302	17	51 20 143	69	51 20 215	67
24 53 602	22	27 25 110	38	32 00 301	27	51 10 001	78	51 20 144	67	51 20 216	67
24 53 612	23	27 25 120	38	32 00 302	27	51 10 002	78	51 20 145	67	51 20 217	67
25 00 110	22	28 10 100	37	32 00 303	27	51 10 003	78	51 20 146	67	51 20 218	67
25 00 120	24	28 11 110	37	32 00 306	27	51 10 004	78	51 20 147	67	51 20 219	69
25 00 130	23	28 12 011	38	32 00 309	27	51 10 005	78	51 20 150	69	51 20 221	69

Index

Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page
51 20 222	69	51 41 001	68	51 50 011	74	53 20 114	71	54 00 066	81	59 23 500	45
51 20 223	69	51 41 002	68	51 50 012	74	53 20 115	71	54 01 000	82	59 24 050	45
51 20 224	69	51 41 003	68	51 50 013	74	53 20 116	71	54 01 002	82	59 24 250	45
51 20 225	67	51 41 004	68	51 50 014	74	53 20 210	71	54 01 003	82	59 24 500	45
51 20 226	67	51 41 005	68	51 50 015	74	53 20 211	71	55 15 010	41	60 18 111	54
51 20 227	67	51 41 131	68	51 50 021	74	53 20 212	71	55 15 040	41	60 18 113	54
51 20 228	67	51 41 132	68	51 50 022	74	53 20 213	71	55 15 041	41	60 18 121	54
51 31 001	66	51 41 133	68	51 50 023	74	53 20 214	71	55 15 04D	41	60 18 123	54
51 31 002	66	51 41 134	68	51 50 024	74	53 20 215	71	55 15 051	41	60 18 211	54
51 31 003	66	51 41 135	68	51 50 031	74	53 20 216	71	55 15 052	41	60 18 213	54
51 31 004	66	51 41 321	68	51 50 032	74	53 20 310	71	55 15 060	41	60 18 221	54
51 31 005	66	51 41 322	68	51 50 033	74	53 20 311	71	55 15 061	41	60 18 223	54
51 31 131	66	51 41 323	68	51 50 034	74	53 20 312	71	55 15 06D	41	60 18 311	54
51 31 132	66	51 41 324	68	51 50 051	75	53 20 313	71	56 15 000	42	60 18 313	54
51 31 133	66	51 41 325	68	51 50 052	75	53 20 314	71	56 15 001	42	60 18 321	54
51 31 134	66	51 41 501	68	51 50 053	75	53 20 315	71	56 15 002	42	60 18 323	54
51 31 135	66	51 41 502	68	51 50 054	75	53 20 316	71	56 15 003	42	60 18 401	55
51 31 321	66	51 41 503	68	51 50 055	75	53 20 410	71	56 15 004	42	60 18 402	55
51 31 322	66	51 41 504	68	51 50 061	75	53 20 411	71	56 15 008	42	60 18 421	55
51 31 323	66	51 41 505	68	51 50 062	75	53 20 412	71	56 15 020	42	60 18 422	55
51 31 324	66	51 41 751	68	51 50 063	75	53 20 413	71	56 15 030	42	60 18 610	63
51 31 325	66	51 41 752	68	51 50 064	75	53 20 414	71	56 15 038	42	60 18 611	63
51 31 501	66	51 41 753	68	51 50 065	75	53 20 415	71	56 15 101	42	60 18 612	63
51 31 502	66	51 41 754	68	51 60 028	69	53 20 416	71	56 15 102	42	60 18 618	63
51 31 503	66	51 41 755	68	51 60 029	69	54 00 000	79	56 15 108	42	60 18 619	63
51 31 504	66	51 42 001	68	51 60 035	69	54 00 001	79	56 15 400	42	60 18 710	55
51 31 505	66	51 42 002	68	51 60 036	69	54 00 002	80	56 16 021	43	60 18 720	55
51 31 506	67	51 42 003	68	52 20 010	73	54 00 003	80	56 16 022	43	60 20 003	57
51 31 751	66	51 42 004	68	52 20 011	73	54 00 004	80	56 16 023	43	60 20 121	57
51 31 752	66	51 42 005	68	52 20 012	73	54 00 005	80	56 16 025	43	60 20 221	57
51 31 753	66	51 42 131	68	52 20 013	73	54 00 006	80	56 16 026	43	60 21 003	57
51 31 754	66	51 42 132	68	52 20 014	73	54 00 007	80	56 16 027	43	61 14 100	62
51 31 755	66	51 42 133	68	52 20 015	73	54 00 009	80	57 00 110	39	61 14 101	62
51 32 001	66	51 42 134	68	52 20 020	73	54 00 011	80	57 00 120	39	61 14 102	62
51 32 002	66	51 42 135	68	52 20 021	73	54 00 019	81	57 00 200	39	61 14 103	62
51 32 003	66	51 42 321	68	52 20 022	73	54 00 022	80	57 00 401	39	61 14 104	62
51 32 004	66	51 42 322	68	52 20 023	73	54 00 023	79	58 10 100	39	61 14 110	62
51 32 005	66	51 42 323	68	52 20 024	73	54 00 024	79	58 10 10D	39	61 14 111	62
51 32 131	66	51 42 324	68	52 20 025	73	54 00 025	79	58 10 110	39	61 14 200	62
51 32 132	66	51 42 325	68	52 20 100	73	54 00 026	79	59 21 160	47	61 14 201	62
51 32 133	66	51 42 501	68	52 20 101	73	54 00 027	79	59 21 170	47	70 00 250	48
51 32 134	66	51 42 502	68	52 20 102	73	54 00 028	79	59 21 171	47	70 00 260	48
51 32 135	66	51 42 503	68	52 20 103	73	54 00 029	79	59 21 173	46	70 00 270	48
51 32 321	66	51 42 504	68	52 20 104	73	54 00 030	79	59 21 174	46	70 01 000	49
51 32 322	66	51 42 505	68	53 00 100	78	54 00 031	79	59 21 175	46	70 01 005	49
51 32 323	66	51 42 751	68	53 00 200	78	54 00 032	79	59 21 176	46	70 01 100	49
51 32 324	66	51 42 752	68	53 00 400	78	54 00 033	79	59 21 182	46	70 01 105	49
51 32 325	66	51 42 753	68	53 20 010	71	54 00 034	79	59 21 183	46	70 01 150	49
51 32 501	66	51 42 754	68	53 20 011	71	54 00 035	79	59 21 184	46	70 01 155	49
51 32 502	66	51 42 755	68	53 20 012	71	54 00 036	79	59 21 185	46	70 01 200	49
51 32 503	66	51 43 130	70	53 20 013	71	54 00 037	79	59 21 188	46	70 01 205	49
51 32 504	66	51 43 131	70	53 20 014	71	54 00 038	79	59 21 190	47	70 01 210	49
51 32 505	66	51 44 130	70	53 20 015	71	54 00 040	80	59 21 200	47	70 01 212	49
51 32 751	66	51 44 131	70	53 20 016	71	54 00 041	79	59 22 204	47	70 01 300	49
51 32 752	66	51 50 001	74	53 20 110	71	54 00 042	79	59 22 250	47	70 01 305	49
51 32 753	66	51 50 002	74	53 20 111	71	54 00 045	81	59 22 253	47	70 01 310	49
51 32 754	66	51 50 003	74	53 20 112	71	54 00 046	81	59 23 050	45	70 01 311	49
51 32 755	66	51 50 004	74	53 20 113	71	54 00 047	81	59 23 250	45	70 01 400	49

Index

Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page	Order No.	Page
70 01 401	49	71 00 007	62	82 00 006	59	82 00 025	59	86 10 014	61	90 50 104	50
70 01 405	49	80 10 161	21	82 00 007	59	82 00 026	59	86 10 015	60	90 50 105	50
70 01 410	48	80 30 160	21	82 00 008	57	82 00 027	59	86 10 039	60	90 50 106	50
70 02 100	48	80 30 170	21	82 00 008	59	86 10 001	60	86 10 040	60	94 20 016	18
70 02 110	48	81 01 012	57	82 00 009	57	86 10 002	60	90 22 000	50	94 20 017	18
70 02 150	48	81 01 101	57	82 00 009	59	86 10 003	60	90 22 001	50	94 20 018	18
70 02 200	48	82 00 001	59	82 00 010	57	86 10 005	60	90 50 000	50	94 20 019	18
70 02 300	48	82 00 002	59	82 00 021	59	86 10 006	60	90 50 004	50	94 20 024	17
70 20 100	50	82 00 003	59	82 00 022	59	86 10 007	60	90 50 005	50	94 25 516	18
70 20 200	50	82 00 004	59	82 00 023	59	86 10 010	61	90 50 006	50	94 25 517	18
71 00 007	43	82 00 005	59	82 00 024	59	86 10 011	61	90 50 100	50	94 25 518	18

A series of horizontal gray lines, each approximately 10 pixels high, stacked vertically to provide a writing area for notes. The lines are uniform in color and spacing, starting below a red header and ending above the footer.

A series of horizontal lines for taking notes, consisting of a solid red header bar at the top, followed by a thin red line, and then numerous light gray horizontal lines.

Welcome!

About ratiolab®

For over 40 years now we have been developing professional solutions for laboratory routine and for research, science and industry – all in close cooperation with our customers. Our range of products has proven itself in numerous laboratories throughout the world.

We supply everything that facilitates daily work routines, increases accuracy and improves process safety – in fact, those items that help to make the laboratory all that more efficient!

What ratiolab® offers

- We have been partners for the trade for over three decades, providing comprehensive quality and reliability
- We produce disposable plastic products of the highest precision – in series, and made in Germany
- We offer individual development and manufacture of customized products
- We have a Quality Management System corresponding to DIN EN ISO 9001, ISO 13485 and ISO 14001



THINK! Development and production of customized products



Liquid handling products



Labware for general lab applications



Life science products for microbiology and biotechnology



Cryo products for deep-freeze applications

We can be reached within minutes by car from Frankfurt airport.

ratiolab®
disposables for sciences

Ratiolab GmbH · Am Siebenstein 6 – 10
63303 Dreieich, Germany · Tel. +49 (0) 6103 30025-0
Fax +49 (0) 6103 30025-55 · info@ratiolab.com

www.ratiolab.com